

# Specialty Nuts



## Specialty Nuts

### Nuts Barrel

|               |                                                                                                                      |                 |                                                                                    |                                                                                     |
|---------------|----------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>708PK</b>  | 1/8" Stud Size<br>5/32" Hole Size<br>Black Finish<br>Barrel Nuts                                                     | <b>100 Pcs.</b> |  |  |
| <b>709PK</b>  | 1/8" Stud Size<br>3/16" Hole Size<br>Black Finish<br>Barrel Nuts<br>Ford # 375890-S100                               | <b>100 Pcs.</b> |  |  |
| <b>710PK</b>  | 1/8" Stud Size<br>1/4" Hole Size<br>Black Finish<br>Barrel Nuts<br>Ford # 375480-S100, 3783794                       | <b>100 Pcs.</b> |  |  |
| <b>711PK</b>  | 3/16" Stud Size<br>7/32" Hole Size<br>Black Finish<br>Barrel Nuts<br>Chrysler # 6000558                              | <b>100 Pcs.</b> |  |  |
| <b>9878PK</b> | 3/16" Stud Size<br>17/64" Hole Size<br>Black Nylon<br>Barrel Nuts<br>Ford # D7VY-6050074-A<br>Renault # 8934-201-767 | <b>100 Pcs.</b> |  |  |
| <b>9941PK</b> | 1/4" Stud Size<br>9/32" Hole Size<br>Black Finish<br>Barrel Nuts<br>Ford # 354341-S                                  | <b>100 Pcs.</b> |  |  |

### Nuts Flat Type Speed

|               |                                                                                              |                 |                                                                                      |                                                                                       |
|---------------|----------------------------------------------------------------------------------------------|-----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>690PK</b>  | 3/16" Stud Size<br>3/8 x 5/8" Plate Size<br>Black Finish<br>Flat Type Speed Nuts             | <b>100 Pcs.</b> |  |  |
| <b>9894PK</b> | #10-24 Stud Size<br>7/16 x 3/4" Plate Size<br>Black Phosphate Finish<br>Flat Type Speed Nuts | <b>100 Pcs.</b> |  |  |

### Nuts Push On Type Non-Threaded Stud

|                |                                                                                                                 |                 |                                                                                       |
|----------------|-----------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------|
| <b>1684PK</b>  | 1/8" Stud Size<br>3/8" Outside Diameter Flange<br>Zinc Finish<br>Push On Type Retainers                         | <b>100 Pcs.</b> |  |
| <b>1685PK</b>  | 5/32" Stud Size<br>7/16" Outside Diameter Flange<br>Zinc Finish<br>Push On Type Retainers                       | <b>100 Pcs.</b> |  |
| <b>1686PK</b>  | 3/16" Stud Size<br>7/16" Outside Diameter Flange<br>Zinc Finish<br>Push On Type Retainers<br>Chrysler # 6031147 | <b>100 Pcs.</b> |  |
| <b>1687PK</b>  | 1/4" Stud Size<br>17/32" Outside Diameter Flange<br>Zinc Finish<br>Push On Type Retainers                       | <b>100 Pcs.</b> |  |
| <b>12655PK</b> | 3/8" Screw Size<br>3/4" Outside Diameter Flange<br>Zinc Finish<br>Push On Retainers                             | <b>100 Pcs.</b> |  |

## Specialty Nuts

### Nuts Push On Type Non-Threaded Stud Metric

**9850PK** 3.20mm Stud Size 100 Pcs.

9.50mm Outside Diameter Flange  
Zinc Finish  
Push On Type Retainers  
G.M. # 11502794



**1691PK** 4mm Stud Size 100 Pcs.

11mm Outside Diameter Flange  
Black Finish  
Push On Type Retainers



### Nuts Specialty

**16383PK** 3.50mm Stud Size 50 Pcs.

12mm Outside Diameter  
Stainless Steel  
Emblem Push Nuts  
Mazda # 9957-83-000



### Nuts Push On Type Threaded Stud

**9852PK** #8 (5/32") Screw Size 100 Pcs.

3/8" Outside Diameter Flange  
Black Finish  
Push On Type Retainers



**12912PK** #10 (3/16") Screw Size 100 Pcs.

7/16" Outside Diameter Flange  
Black Finish  
Push On Type Retainers  
Chrysler # 6029348



**1273PK** 1/4" Screw Size 100 Pcs.

1/2" Outside Diameter Flange  
Black Finish  
Push On Type Retainers  
Chrysler # 6026958



**1274PK** 5/16" Screw Size 100 Pcs.

5/8" Outside Diameter Flange  
Zinc Finish  
Push On Type Retainers  
Chrysler # J4004354, J4005293



**989PK** 3/8" Screw Size 100 Pcs.

25/32" Outside Diameter Flange  
Black Finish  
Push On Type Retainers  
Chrysler # J4004354



**990PK** 7/16" Screw Size 100 Pcs.

27/32" Outside Diameter Flange  
Black Finish  
Push On Type Retainers  
Chrysler # J4004175



**991PK** 1/2" Screw Size 100 Pcs.

15/16" Outside Diameter Flange  
Black Finish  
Push On Type Retainers  
Chrysler # 6026430



5

# Specialty Nuts

## Nuts Push On Type Threaded Stud Metric

|   |                |                                                                                                                                                                                         |                 |                                                                                       |
|---|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------|
| 5 | <b>12023PK</b> | 5 -.80mm Screw Size<br>11mm Outside Diameter Flange<br>Zinc Finish<br>Push On Type Retainers<br>Chrysler # 6100839                                                                      | <b>100 Pcs.</b> |    |
|   | <b>1275PK</b>  | 6-1.00mm Screw Size<br>12.70mm Outside Diameter Flange<br>Zinc Finish<br>Push On Type Retainers                                                                                         | <b>100 Pcs.</b> |    |
|   | <b>1621PK</b>  | 6-1.00mm Screw Size<br>17mm Outside Diameter Flange<br>Zinc Plated<br>Push On Type Retainers<br>Chrysler # 6501178, 6501192<br>Ford # N801192S36<br>G.M. # 11503736, 11609738, 14093869 | <b>100 Pcs.</b> |    |
|   | <b>1043PK</b>  | 8-1.25mm Screw Size<br>16mm Outside Diameter Flange<br>Zinc Finish<br>Push On Type Retainers<br>Chrysler # 6501025<br>G.M. # 11502504, 11502853                                         | <b>100 Pcs.</b> |    |
|   | <b>3010PK</b>  | 8-1.25mm Screw Size<br>24mm Outside Diameter Flange<br>Zinc Finish<br>Bumper Strip Retainers<br>Chrysler # 6501825<br>G.M. # 10009923                                                   | <b>50 Pcs.</b>  |   |
|   | <b>9335PK</b>  | 10-1.50mm Screw Size<br>20mm Outside Diameter Flange<br>Black Finish<br>Push On Type Retainers<br>G.M. # 11502759                                                                       | <b>50 Pcs.</b>  |  |
|   | <b>1276PK</b>  | 10-1.50mm Screw Size<br>24mm Outside Diameter Flange<br>Dacromet Finish<br>Push On Type Retainers<br>G.M. # 11501849                                                                    | <b>50 Pcs.</b>  |  |
|   | <b>1044PK</b>  | 12-1.75mm Screw Size<br>21.40mm Outside Diameter Flange<br>Black Finish<br>Push On Type Retainers<br>G.M. # 11502737                                                                    | <b>50 Pcs.</b>  |  |
|   | <b>9952PK</b>  | 14-2.00mm Screw Size<br>25mm Outside Diameter Flange<br>Black Finish<br>Push On Type Retainers<br>G.M. # 11504119                                                                       | <b>50 Pcs.</b>  |  |



## Specialty Nuts

### Nuts Thread Cutting

|               |                                                                                                                      |                 |                                                                                       |                                                                                       |
|---------------|----------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>265PK</b>  | 1/8" Stud Size<br>5/16" Hex Size<br>17/32" Flange Diameter<br>Zinc Finish<br>Thread Cutting Nuts                     | <b>100 Pcs.</b> |    |    |
| <b>264PK</b>  | 5/32" Stud Size<br>3/8" Hex Size<br>9/16" Flange Diameter<br>Zinc Finish<br>Thread Cutting Nuts                      | <b>100 Pcs.</b> |    |    |
| <b>9847PK</b> | 3/16" Stud Size<br>3/8" Hex Size<br>1/2" Flange Diameter<br>Zinc Finish<br>Thread Cutting Nuts<br>Chrysler # 6006264 | <b>200 Pcs.</b> |    |    |
| <b>263PK</b>  | 3/16" Stud Size<br>3/8" Hex Size<br>5/8" Flange Diameter<br>Zinc Finish<br>Thread Cutting Nuts                       | <b>100 Pcs.</b> |    |    |
| <b>262PK</b>  | 1/4" Stud Size<br>7/16" Hex Size<br>19/32" Flange Diameter<br>Zinc Finish<br>Thread Cutting Nuts                     | <b>100 Pcs.</b> |    |    |
| <b>9226PK</b> | 1/4" Stud Size<br>7/16" Hex Size<br>11/16" Flange Diameter<br>Zinc Finish<br>Thread Cutting Nuts                     | <b>100 Pcs.</b> |   |   |
| <b>856PK</b>  | 5/16" Stud Size<br>1/2" Hex Size<br>7/8" Flange Diameter<br>Zinc Finish<br>Thread Cutting Nuts                       | <b>50 Pcs.</b>  |  |  |

### Nuts Thread Cutting Metric

|               |                                                                                                                                                                          |                 |                                                                                       |                                                                                       |
|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>1040PK</b> | 4mm Stud Size<br>9mm Hex Size<br>15mm Flange Diameter<br>Zinc Finish<br>Thread Cutting Nuts                                                                              | <b>100 Pcs.</b> |  |  |
| <b>1041PK</b> | 5mm Stud Size<br>10mm Hex Size<br>15mm Flange Diameter<br>Black Finish<br>Thread Cutting Nuts<br>G.M. # 11501835, 11508900, 11510062,<br>11501932<br>Ford # W707501-S300 | <b>50 Pcs.</b>  |  |  |
| <b>1042PK</b> | 6.30mm Stud Size<br>11mm Hex Size<br>18mm Flange Diameter<br>Zinc Finish<br>Thread Cutting Nuts<br>G.M. # 11501836, 11503432                                             | <b>50 Pcs.</b>  |  |  |

# Specialty Nuts

## Nuts Thread Cutting Metric

**1622PK** 8mm Stud Size  
13mm Hex Size  
20mm Flange Diameter  
Zinc Finish  
Thread Cutting Nuts  
G.M. # 11502507, 11509535, 11514282

100 Pcs.



## Nuts Lock Zinc Plated

**11865PK** 1/4-20 Screw Size  
7/16" Hex Size  
19/32" Flange Diameter  
Zinc Finish  
Washer Lock Nuts

100 Pcs.



**11140PK** 6-1.00mm Stud Size  
11mm Hex Size  
24mm Flange Diameter  
Metallic Gray Finish With Sealer  
Locking Washer Nuts  
G.M. # 11505865

25 Pcs.



## Nuts Miscellaneous

**18451PK** 5mm Stud Size  
10mm Hex 15mm Flange  
Zinc Finish  
Locking Teeth  
Emblem Nuts  
Ford # W706675-S439

50 Pcs.



## Nuts Hex Flange Type Standard

**259PK** 10-24 Screw Size  
3/8" Hex Size  
31/64" Outside Diameter Serrated Flange  
Bright Zinc Finish  
Hex Flange Nuts

100 Pcs.



**11331PK** 10-24 Screw Size  
3/8" Hex Size  
31/64" Outside Diameter Serrated Flange  
Black Finish  
Hex Flange Nuts

100 Pcs.



**9883PK** 1/4-20 Screw Size  
7/16" Hex Size  
19/32" Outside Diameter Flange  
Black Nylon  
Hex Flange Nuts

50 Pcs.



## Nuts Hex Flange Type Metric

**5797PK** 5-.80mm Screw Size  
8mm Hex Size  
11.80mm Outside Diameter Flange  
Black Finish  
Metric Hex Flange Nuts  
G.M. # 11502722, 11502702

50 Pcs.



**5800PK** 6-1.00mm Screw Size  
10mm Hex Size  
16mm Outside Diameter Serrated Flange  
Black Finish  
Metric Hex Flange Nuts

100 Pcs.



# Specialty Nuts

## Nuts Hex Flange Type Metric

|                |                                                                                                                                                                              |                 |                                                                                                                                                                         |                                                                                     |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>11191PK</b> | 8-1.25mm Screw Size<br>13mm Hex Size<br>17mm Outside Diameter Flange<br>Black Finish<br>Metric Hex Flange Nuts<br>G.M. # 11501889, 11507036, 11502609,<br>11514518, 11514596 | <b>25 Pcs.</b>  |                                                                                      |  |
| <b>5805PK</b>  | 8-1.25mm Screw Size<br>13mm Hex Size<br>19mm Outside Diameter Serrated Flange<br>Black Finish<br>Metric Hex Flange Nuts                                                      | <b>100 Pcs.</b> |   |  |
| <b>1017PK</b>  | 10-1.50mm Screw Size<br>15mm Hex Size<br>21mm Outside Diameter Flange<br>Black Finish<br>Metric Hex Flange Nuts<br>G.M. # 11501850                                           | <b>25 Pcs.</b>  |                                                                                      |  |

## Nuts Hex Loose Washer Metric

|                |                                                                                                                                                                                       |                |                                                                                       |                                                                                       |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>12053PK</b> | 5-.80mm Thread Size<br>8mm Hex Size<br>10mm Outside Diameter Loose Washer<br>Yellow Zinc Finish<br>Metric Hex Nuts<br>Ford # N802775-S36                                              | <b>50 Pcs.</b> |    |    |
| <b>1639PK</b>  | 5-.80mm Screw Size<br>10mm Hex Size<br>15mm Outside Diameter<br>Loose Washer<br>Black Finish<br>Metric Hex Nuts<br>AMC # 4200408<br>Ford # N621903-S61, N621903-S2<br>G.M. # 11504614 | <b>50 Pcs.</b> |   |   |
| <b>5910PK</b>  | 6-1.00mm Screw Size<br>10mm Hex Size<br>16mm Outside Diameter<br>Loose Barbed Washer<br>Black Finish<br>Metric Hex Nuts<br>G.M. # 11505329, 11503752<br>V.W. # N90100001              | <b>25 Pcs.</b> |  |  |
| <b>13503PK</b> | 6-1.00mm Thread Size<br>10mm Hex Size<br>18mm Outside Diameter<br>Loose Washer<br>Black Finish<br>Metric Hex Nuts<br>Chrysler # 6100048, 6500284                                      | <b>50 Pcs.</b> |  |  |
| <b>5915PK</b>  | 6-1.00mm Screw Size<br>10mm Hex Size<br>19mm Outside Diameter<br>Loose Barbed Washer<br>Black Phosphate Finish<br>Metric Hex Nuts<br>Chrysler # 6100049, 34201358                     | <b>25 Pcs.</b> |  |  |

5

# Specialty Nuts

## Nuts Hex Loose Washer Metric

|   |                |                                                                                                                                                                                                    |         |                                                                                      |                                                                                       |
|---|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 5 | <b>11896PK</b> | 6-1.00mm Screw Size<br>11mm Hex Size<br>19mm Outside Diameter<br>Loose Washer<br>Black Finish<br>Metric Hex Nuts<br>G.M. # 11503754, 11503756, 11505005,<br>11517293, 11609411                     | 25 Pcs. |    |    |
|   | <b>12055PK</b> | 6-1.00mm Screw Size<br>11mm Hex Size<br>24mm O.D. Loose Washer<br>Yellow Zinc Finish<br>Metric Hex Nuts<br>Ford # N621907, N621907-S55                                                             | 25 Pcs. |    |    |
|   | <b>10838PK</b> | 8-1.25mm Screw Size<br>13mm Hex Size<br>18mm Outside Diameter<br>Loose Barbed Washer<br>Black Phosphate Finish<br>Metric Hex Nuts<br>Chrysler # 6100050                                            | 25 Pcs. |    |    |
|   | <b>5916XPK</b> | 8-1.25mm Screw Size<br>13mm Hex Size<br>24mm Outside Diameter<br>Loose Barbed Washer<br>Black Finish<br>Metric Hex Nuts<br>Ford # N621940-S424<br>G.M. # 11503695, 11506117, 11516780,<br>11500401 | 25 Pcs. |    |    |
|   | <b>11909PK</b> | 10-1.50mm Screw Size<br>15mm Hex Size<br>24mm Outside Diameter Loose Washer<br>Black Finish<br>Metric Hex Nuts<br>Chrysler # 6100053<br>Ford # N621942-S301, N621942-S441,<br>N621942-S2           | 25 Pcs. |  |  |

## Nuts Short Type "J"


|                |                                                                                                                           |         |                                                                                      |                                                                                       |
|----------------|---------------------------------------------------------------------------------------------------------------------------|---------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>10053PK</b> | #6 (3.50mm) Screw Size<br>.090 - .110" Panel Range<br>9/32" Center of Hole to Edge<br>Black Finish<br>Short Type "J" Nuts | 25 Pcs. |  |  |
|----------------|---------------------------------------------------------------------------------------------------------------------------|---------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|

## Nuts Speed Type "U" for Sheet Metal Screws

|                |                                                                                                                                                                                             |          |                                                                                      |                                                                                       |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>9892PK</b>  | #6 (3.50mm) Screw Size<br>.025 - .125" Panel Range<br>3/8" Center of Hole to Edge<br>Black Finish<br>Speed Type "U" Nuts                                                                    | 50 Pcs.  |  |  |
| <b>1350PK</b>  | #8 (4.20mm) Screw Size<br>.020 - .150" Panel Range<br>3/8" Center of Hole to Edge<br>Black Finish<br>Speed Type "U" Nuts<br>Ford # 381818-S2, 15650655<br>G.M. # 9424837, 9431530, 15650655 | 100 Pcs. |  |  |
| <b>11136PK</b> | #8 (4.20mm) Screw Size<br>.025 - .125" Panel Range<br>3/8" Center of Hole to Edge<br>Black Finish<br>Speed Type "U" Nuts                                                                    | 25 Pcs.  |  |  |

# Specialty Nuts

## Nuts Speed Type "U" for Sheet Metal Screws

|                |                                                                                                                                                                                                                   |                 |                                                                                       |                                                                                       |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>5750PK</b>  | #8 (4.20mm) Screw Size<br>.025 - .150" Panel Range<br>5/8" Center of Hole to Edge<br>Black Finish<br>Speed Type "U" Nuts<br>Ford # 381863-S2<br>G.M. # 9440178, 9433155, 11504531                                 | <b>100 Pcs.</b> |     |    |
| <b>11040PK</b> | #8 (4.20mm) Screw Size<br>.045 - .062" Panel Range<br>3/8" Center Of Hole To Edge<br>Black Finish<br>Speed Type "U" Nuts<br>G.M. # 445429, 9422552                                                                | <b>50 Pcs.</b>  |    |    |
| <b>13350PK</b> | #8 (4.20mm) Screw Size<br>.50 - 2.50mm Panel Range<br>14mm Center Of Hole To Edge<br>Zinc Finish<br>Speed Type "U" Nuts<br>Mercedes # 123-994-08-45                                                               | <b>25 Pcs.</b>  |     |    |
| <b>1510PK</b>  | #8 (4.20mm) Screw Size<br>.125 - .250" Panel Range<br>3/8" Center of Hole to Edge<br>Black Finish<br>Speed Type "U" Nuts<br>G.M. # 9433156                                                                        | <b>100 Pcs.</b> |    |    |
| <b>11954PK</b> | #8 (4.20mm) Screw Size<br>3 - 4mm Panel Range<br>7mm Center of Hole to Edge<br>Zinc Finish<br>Speed Type "U" Nuts<br>BMW # 0712-9-925-708<br>Mercedes # 000-994-25-45                                             | <b>50 Pcs.</b>  |    |    |
| <b>5751PK</b>  | #10 (4.80mm) Screw Size<br>.025 - .150" Panel Range<br>11/32" Center of Hole to Edge<br>Black Finish<br>Speed Type "U" Nuts                                                                                       | <b>25 Pcs.</b>  |  |  |
| <b>5752PK</b>  | #10 (4.80mm) Screw Size<br>.025 - .150" Panel Range<br>19/32" Center of Hole to Edge<br>Black Finish<br>Speed Type "U" Nuts                                                                                       | <b>50 Pcs.</b>  |   |  |
| <b>11286PK</b> | #10 (4.80mm) Screw Size<br>.50 - 1.70mm Panel Range<br>7mm Center of Hole to Edge<br>Zinc Finish<br>Speed Type "U" Nuts<br>BMW # 0712-9-925-737, 07-12-9-901-651<br>Mercedes # 000-994-06-45, 003-994-30-45       | <b>50 Pcs.</b>  |  |  |
| <b>13301PK</b> | #10 (4.80mm) Screw Size<br>.80 - 1.70mm Panel Range<br>11mm Center of Hole to Edge<br>Zinc Finish<br>Speed Type "U" Nuts<br>BMW # 0711-9-916-945, 07-11-9-901-294,<br>07-11-9-901-299<br>Mercedes # 000-994-14-45 | <b>50 Pcs.</b>  |  |  |
| <b>11915PK</b> | #10 (4.80mm) Screw Size<br>.90 - 2mm Panel Range<br>8mm Center of Hole to Edge<br>Zinc Finish<br>Speed Type "U" Nuts<br>Mercedes # 000-994-14-45                                                                  | <b>25 Pcs.</b>  |  |  |

5



## Specialty Nuts

### Nuts Speed Type "U" for Sheet Metal Screws

|                |                                                                                                                                                          |                |                                                                                    |                                                                                     |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>13434PK</b> | #10 (4.80mm) Screw Size<br>2.30 - 3.50mm Panel Range<br>8.50mm Center of Hole to Edge<br>Zinc Finish<br>Speed Type "U" Nuts<br>BMW # 07129904150         | <b>25 Pcs.</b> |  |  |
| <b>1192PK</b>  | #14 (6.30mm) Screw Size<br>.025 - .150" Panel Range<br>3/8" Center of Hole to Edge<br>Black Finish<br>Speed Type "U" Nuts<br>G.M. # 9431532              | <b>25 Pcs.</b> |  |  |
| <b>11128PK</b> | #14 (6.30mm) Screw Size<br>.025 - .150" Panel Range<br>3/8" Center of Hole to Edge<br>Zinc Organic Finish<br>Speed Type "U" Nuts<br>Nissan # 08967-1065A | <b>25 Pcs.</b> |  |  |
| <b>5753PK</b>  | #14 (6.30mm) Screw Size<br>.025 - .150" Panel Range<br>5/8" Center of Hole to Edge<br>Black Finish<br>Speed Type "U" Nuts                                | <b>25 Pcs.</b> |  |  |

### Nuts Speed Type "U" for Machine Screws

|               |                                                                                                                                                  |                 |                                                                                      |                                                                                       |
|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>9866PK</b> | 8-32 Screw Size<br>.110 - .125" Panel Range<br>9/32" Center of Hole to Edge<br>Black Finish<br>Speed Type "U" Nuts                               | <b>25 Pcs.</b>  |    |    |
| <b>9897PK</b> | 10-24 Screw Size<br>.045 - .062" Panel Range<br>17/32" Center of Hole to Edge<br>Black Finish<br>Speed Type "U" Nuts                             | <b>100 Pcs.</b> |  |  |
| <b>9848PK</b> | 1/4-20 Screw Size<br>.064 - .125" Panel Range<br>9/16" Center of Hole to Edge<br>Black Finish<br>Speed Type "U" Nuts<br>G.M. # 9431647, 22529733 | <b>100 Pcs.</b> |  |  |

### Hardware Skid Plate

|                |                                                                                                                                                                  |                |                                                                                      |                                                                                       |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>16990PK</b> | 4.50mm Stud Size<br>13mm Center of Hole to Edge<br>Zinc Finish<br>Skid Plate "U" Nuts<br>Use With # 16991<br>Audi # 8K0-805-922A                                 | <b>15 Pcs.</b> |  |  |
| <b>16991PK</b> | 11/64" (4.50mm) Hole Size<br>18.50mm Stem Length<br>16mm Head Diameter<br>Black Finish<br>Phillips Drive Cowl Fasteners<br>Use With #16990<br>V.W. # 8K0-805-121 | <b>10 Pcs.</b> |  |  |
| <b>13254PK</b> | 6mm Stud Size<br>12.20mm Center of Hole to Edge<br>Zinc Finish<br>Speed Type "U" Nuts For Nylon Screws<br>Use With # 13253 & 1655<br>V.W. # 8D0805960            | <b>10 Pcs.</b> |  |  |



# Specialty Nuts

## Hardware Skid Plate

|                |                                                                                                                                                                         |                 |                                                                                     |                                                                                     |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>1655PK</b>  | 8mm Bolt Size<br>8.40mm Inside Diameter<br>17mm Outside Diameter<br>Bright Zinc Finish<br>Metric Flat Washers<br>Use With # 13253 & 13254                               | <b>100 Pcs.</b> |  |  |
| <b>13253PK</b> | 9/32" (7mm) Hole Size<br>20mm Stem Length<br>18mm Head Diameter<br>Black Finish Steel<br>Slotted Drive Cowl Fasteners<br>Use With # 13254 & 1655<br>V.W. # 8D0-805-121B | <b>10 Pcs.</b>  |  |  |

## Nuts Splash Shield Retaining Metric

|                |                                                                                                                                                                                 |                |                                                                                       |                                                                                       |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>15730PK</b> | 5mm Stud Size<br>30mm Outside Diameter Flange<br>Dacromet Finish<br>Splash Shield & Wheel Well<br>Push Type Retainers<br>V.W. # N90-335-006                                     | <b>25 Pcs.</b> |     |    |
| <b>13260PK</b> | 5-2.12x19mm<br>14mm Head Diameter<br>T25 Drive Size<br>Black Finish<br>Torx® Truss Head Screws<br>Use with #10937 & 13256<br>V.W. # N90892001, N90775001                        | <b>25 Pcs.</b> |    |    |
| <b>10937PK</b> | 5mm Torx Screw Size<br>30mm Outside Diameter Flange<br>Zinc Finish<br>Splash Shield Retainers<br>Use with #13260 & 13256<br>V.W. # N90-796-502, N90-335-004                     | <b>25 Pcs.</b> |   |  |
| <b>13256PK</b> | 5-2.12 Screw Size<br>8mm Stem Length<br>7.50 x 13mm Hole Size<br>Zinc Finish<br>Splash Shield Retaining Nuts<br>Use with # 13260 & 10937<br>V.W. # N10327101, N10327102         | <b>25 Pcs.</b> |  |  |
| <b>17932PK</b> | 14mm Hex Size<br>30mm Flange Diameter<br>Black Nylon<br>Wheel Well Liner &<br>Splash Shield Nuts<br>Hyundai # 84145-26000                                                       | <b>15 Pcs.</b> |   |  |
| <b>15868PK</b> | 8.50mmx11.00mm Hole Size<br>36mm Stem Length<br>18mm Head Diameter<br>Black Nylon Rocker Panel &<br>Splash Shield Screw Grommet<br>With Specialty Screw<br>Chrysler # 6510123AA | <b>5 Pcs.</b>  |  |  |

5

# Specialty Nuts

## Nuts Nylon "U" Type Metric

|   |                |                                                                                                                                                                                                                                     |         |                                                                                      |                                                                                       |
|---|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 5 | <b>12898PK</b> | #10 (4.80mm) Screw Size<br>8mm Center of Hole to Edge<br>Up to 1.50mm Panel Range<br>White Nylon<br>"U" Type Nuts<br>Nissan # 76882-0M000                                                                                           | 15 Pcs. |    |    |
|   | <b>15214PK</b> | #10 (4.80mm) Screw Size<br>11mm Center of Hole to Edge<br>Up to 1.00mm Panel Range<br>Gray Nylon<br>"U" Type Nuts<br>Mazda # B455-56-135                                                                                            | 25 Pcs. |    |    |
|   | <b>18105PK</b> | #10 (4.80mm) Screw Size<br>11mm Center of Hole to Edge<br>Up to 1.00mm Panel Range<br>Gray Nylon Front Bumper<br>"U" Type Nuts<br>Mazda # C274-50-133                                                                               | 25 Pcs. |    |    |
|   | <b>1601PK</b>  | #10 (4.80mm) Screw Size<br>11mm Center of Hole to Edge<br>Up to 1.00mm Panel Range<br>Black Nylon Fender Wheel Housing<br>"U" Type Nuts<br>G.M. # 94841226<br>Mazda LA01-56-135<br>Toyota # 53879-14010-A, 53879-14020, 53879-22030 | 15 Pcs. |    |    |
|   | <b>12494PK</b> | #10 (4.80mm) Screw Size<br>14mm Center of Hole to Edge<br>Up to 3mm Panel Range<br>Black Nylon<br>"U" Type Nuts<br>Toyota # 90179-05060                                                                                             | 10 Pcs. |  |  |
|   | <b>11161PK</b> | #12 (5.50mm) Screw Size<br>9mm Center of Hole to Edge<br>Up to 1.00mm Panel Range<br>Black Nylon<br>"U" Type Nuts<br>Nissan # 63848-D0100                                                                                           | 15 Pcs. |  |  |
|   | <b>9530PK</b>  | #12 (5.50mm) Screw Size<br>9mm Center of Hole to Edge<br>Up to 2mm Panel Range<br>Black Nylon Inner Fender<br>"U" Type Nuts<br>Nissan # 63848-D4000, 63848D4001                                                                     | 10 Pcs. |  |  |
|   | <b>15729PK</b> | #12 (5.50mm) Screw Size<br>12mm Center Of Hole to Edge<br>Up To 2mm Panel Range<br>Red Nylon<br>"U" Type Nuts<br>Use With # 10123<br>G.M. # 24449408                                                                                | 25 Pcs. |  |  |

## Specialty Nuts

### Nuts Nylon "U" Type Metric

|                |                                                                                                                                                                                      |                |                                                                                      |                                                                                       |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>10123PK</b> | 5.50 x 20mm<br>Torx® Truss Head<br>15mm Outside Diameter Washer<br>Black Zinc Finish Screws<br>Use With # 15729<br>G.M. # 13144822                                                   | <b>25 Pcs.</b> |   |    |
| <b>11421PK</b> | #12 (5.50mm) Screw Size<br>14mm Center of Hole to Edge<br>Up to 1.00mm Panel Range<br>Black Nylon<br>"U" Type Nuts<br>Toyota # 90467-05114                                           | <b>10 Pcs.</b> |    |    |
| <b>10785PK</b> | #14 (6.30mm) Screw Size<br>8mm Center of Hole to Edge<br>Up to 1.50mm Panel Range<br>Black Nylon Wheel Guard<br>"U" Type Nuts<br>Hyundai # 86825-28800                               | <b>25 Pcs.</b> |    |    |
| <b>11388PK</b> | #14 (6.30mm) Screw Size<br>12mm Center of Hole to Edge<br>Up to 2mm Panel Range<br>Dark Red Nylon Front Bumper<br>"U" Type Nuts<br>Toyota # 90467-A0018, 90467-05081,<br>90084-46019 | <b>15 Pcs.</b> |    |    |
| <b>15083PK</b> | #14 (6.30mm) Screw Size<br>14mm Center of Hole to Edge<br>Up to 3mm Panel Range<br>Black Nylon Front Bumper & Fender Liner<br>"U" Type Nuts<br>Toyota # 90467-05138                  | <b>15 Pcs.</b> |   |   |
|                |                                                                                                                                                                                      |                | Not Actual Size                                                                      |                                                                                       |
| <b>1606PK</b>  | #14 (6.30mm) Screw Size<br>15mm Center of Hole to Edge<br>Up to 1.00mm Panel Range<br>Black Nylon Fender Wheel Housing<br>"U" Type Nuts<br>Toyota # 53879-22010                      | <b>15 Pcs.</b> |  |  |

### Nuts Nylon "U" Type with Metal Insert Metric

|                |                                                                                                                                          |                |                                                                                      |                                                                                       |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>16369PK</b> | 6-1.00 Screw Size<br>3.50mm Panel Range 13.50mm<br>Center of Hole to Edge<br>Black Nylon & Black Metal<br>License Plate Bracket "U" Nuts | <b>25 Pcs.</b> |  |  |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|

### Nuts Extruded Type "U" Standard

|               |                                                                                                                                                          |                |                                                                                      |                                                                                       |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>938PK</b>  | 10-24 Screw Size<br>15/32" Center of Hole to Edge<br>.025 - .125" Panel Range<br>Black Finish<br>Extruded "U" Nuts<br>Chrysler # 149251<br>G.M. # 152273 | <b>50 Pcs.</b> |  |  |
| <b>938ZPK</b> | 10-24 Screw Size<br>15/32" Center of Hole to Edge<br>.025 - .125" Panel Range<br>Bright Zinc Finish<br>Extruded "U" Nuts                                 | <b>50 Pcs.</b> |  |  |

# Specialty Nuts

## Nuts Extruded Type "U" Standard

|                 |                                                                                                                                                                                            |                |                                                                                      |                                                                                       |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>2969PK</b>   | 1/4-20 Screw Size<br>17/32" Center of Hole to Edge<br>.010 - .165" Panel Range<br>Black Finish<br>Extruded "U" Nuts<br>Ford # 45263-S2<br>G.M. # 1494252, 1480627                          | <b>25 Pcs.</b> |    |    |
| <b>2969ZYPK</b> | 1/4-20 Screw Size<br>17/32" Center of Hole to Edge<br>.010 - .165" Panel Range<br>Yellow Zinc Finish<br>Extruded "U" Nuts                                                                  | <b>25 Pcs.</b> |    |    |
| <b>5480PK</b>   | 1/4-20 Screw Size<br>25/32" Center of Hole to Edge<br>.010 - .165" Panel Range<br>Black Finish<br>Extruded "U" Nuts<br>Ford # 45267<br>G.M. # 1494257                                      | <b>25 Pcs.</b> |    |    |
| <b>1835PK</b>   | 5/16-18 Screw Size<br>5/8" Center of Hole to Edge<br>.025 - .125" Panel Range<br>Black Finish<br>Extruded "U" Nuts<br>Chrysler # 6023171<br>Ford # 45264<br>G.M. # 1494253                 | <b>25 Pcs.</b> |    |    |
| <b>1836PK</b>   | 5/16-18 Screw Size<br>27/32" Center of Hole to Edge<br>.010 - .170" Panel Range<br>Black Finish<br>Extruded "U" Nuts<br>Ford # 379831-S<br>G.M. # 1494258, 10008002, 12338146,<br>45268-S2 | <b>25 Pcs.</b> |   |   |
| <b>5412PK</b>   | 3/8-16 Screw Size<br>3/4" Center of Hole to Edge<br>.035 - .205" Panel Range<br>Black Finish<br>Extruded "U" Nuts<br>Ford # 45265-S2<br>G.M. # 1494254, 12337873                           | <b>25 Pcs.</b> |  |  |
| <b>5466PK</b>   | 3/8-16 Screw Size<br>1 1/8" Center of Hole to Edge<br>.035 - .220" Panel Range<br>Black Finish<br>Extruded "U" Nuts<br>Ford # 45269, 45269-S                                               | <b>25 Pcs.</b> |                                                                                      |  |

## Nuts Extruded Type "U" Metric

|                |                                                                                                                                               |                |                                                                                      |                                                                                       |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>16471PK</b> | 6-1.00mm Screw Size<br>14.50mm Center of Hole to Edge<br>.50 - 2.30mm Panel Range<br>Zinc Organic<br>Extruded "U" Nuts<br>Ford # W705958-S439 | <b>10 Pcs.</b> |  |  |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|

## Nuts Extruded Type "U" Standard

|                |                                                                                                                                                 |                |                                                                                      |                                                                                       |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>16095PK</b> | 6-1.00mm Screw Size<br>.50mm - 4.00mm Panel Range<br>13mm Center of Hole to Edge<br>Silver Finish<br>Extruded "U" Nuts<br>Chrysler # 6105242-AA | <b>25 Pcs.</b> |  |  |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|

# Specialty Nuts

## Nuts Extruded Type "U" Metric

**16079PK** 6-1.00mm Screw Size  
13.50mm Center of Hole to Edge  
.80 - 4.00mm Panel Range  
Zinc Organic  
Extruded U Nuts  
Ford # W520822-S439  
Chrysler # 6510185-AA, 6101956, 6503694

25 Pcs.



## Nuts Nylon "U" Type Metric

**16365PK** 6-1.00 Screw Size  
9.20mm Center of Hole to Edge  
1.80 - 2.20mm Panel Range  
Zinc Organic  
Extruded "U" Nuts  
Chrysler # 68073566AA

15 Pcs.



## Nuts Extruded Type "U" Metric

**11981PK** #8 (4.20-1.41) Screw Size  
9.5mm Center of Hole to Edge  
1.80 - 3.50mm Panel Range  
Zinc Organic  
Extruded "U" Nuts  
Ford # W716567-S439

25 Pcs.



**16078PK** #8 (4.20-1.41mm) Screw Size  
9.50mm Center of Hole to Edge  
2.00 - 3mm Panel Range  
Zinc Organic Prevailing Torque  
Extruded "U" Nuts  
G.M. # 11548579

25 Pcs.



**10726PK** #8 (4.20-1.41mm) Screw Size  
10mm Center of Hole to Edge  
.50 - 2.00mm Panel Range  
Zinc Organic Prevailing Torque  
Extruded "U" Nuts  
G.M. # 11516397  
Ford # W707291-S439

50 Pcs.



**11339PK** #8 (4.20-1.41mm) Screw Size  
10.10mm Center of Hole to Edge  
2.00 - 3mm Panel Range  
Prevailing Torque 6.28 In-lbs  
Black Finish  
Extruded "U" Nuts  
G.M. # 11513700

25 Pcs.



**11043PK** #8 (4.20-1.41mm) Screw Size  
15mm Center of Hole to Edge  
.65 - 3.80mm Panel Range  
Zinc Organic Prevailing Torque  
Extruded "U" Nuts  
G.M. # 11515638

25 Pcs.



**1021PK** 4-.70mm Screw Size  
13.50mm Center of Hole to Edge  
.80 - 4mm Panel Range  
Black Finish  
Extruded "U" Nuts  
G.M. # 11500655

50 Pcs.



**1012PK** 5-.80mm Screw Size  
8mm Center of Hole to Edge  
.80 - 4mm Panel Range  
Black Finish  
Extruded "U" Nuts  
G.M. # 11500657, 11504693

50 Pcs.



5



# Specialty Nuts

## Nuts Extruded Type "U" Metric

|                |                                                                                                                                                                                                                          |                |                                                                                      |                                                                                       |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>12893PK</b> | 5-.80mm Screw Size<br>11mm Center of Hole to Edge<br>.60 - 3.80mm Panel Range<br>Black Finish<br>Extruded "U" Nuts<br>Ford # N623331-S2, W520821-S439,<br>W520821-S426<br>G.M. # 11505596, 11500656                      | <b>50 Pcs.</b> |    |    |
| <b>16328PK</b> | 6-1.00 Screw Size<br>12mm Center of Hole to Edge<br>.70 - 2.00mm Panel Range<br>Zinc Finish<br>Extruded "U" Nuts<br>Ford # W712324-S439                                                                                  | <b>10 Pcs.</b> |    |    |
| <b>16400PK</b> | 6-1.00mm Screw Size<br>9mm Center of Hole to Edge<br>1.80 - 2.50mm Panel Range<br>Zinc Finish<br>Extruded "U" Nuts<br>Ford # N806728-S439<br>G.M. # 11517841                                                             | <b>15 Pcs.</b> |    |    |
| <b>10836PK</b> | 6-1.00mm Screw Size<br>13.50mm Center of Hole to Edge<br>.80 - 4.00mm Panel Range<br>Black Phosphate Organic Finish<br>Prevailing Torque Extruded "U" Nuts<br>Chrysler # 6101308<br>Ford # N800854-S1<br>G.M. # 11509005 | <b>25 Pcs.</b> |    |    |
| <b>5596PK</b>  | 6-1.00mm Screw Size<br>13.50mm Center of Hole to Edge<br>.80 - 4.00mm Panel Range<br>Black Finish<br>Extruded "U" Nuts<br>Ford # N623332, N623332-S2,<br>N623332-S53, N623332-S100<br>G.M. # 11503957, 11503716, 1016937 | <b>25 Pcs.</b> |   |   |
| <b>9512PK</b>  | 6-1.00mm Screw Size<br>13.50mm Center of Hole to Edge<br>3.40 - 6.30mm Panel Range<br>Black Finish<br>Extruded "U" Nuts<br>Ford # N802331-S53<br>G.M. # 11504047                                                         | <b>25 Pcs.</b> |  |  |
| <b>9949PK</b>  | 6-1.00mm Screw Size<br>14mm Center of Hole to Edge<br>.50 - 2.30mm Panel Range<br>GM 4435-M Finish Prevailing Torque<br>Extruded "U" Nuts<br>G.M.                                                                        | <b>25 Pcs.</b> |  |  |
| <b>16081PK</b> | 6-1.00mm Screw Size<br>14mm Center of Hole to Edge<br>.70 - 2.00mm Panel Range<br>Zinc Organic<br>Extruded "U" Nuts<br>G.M. # 11611321                                                                                   | <b>10 Pcs.</b> |  |  |
| <b>11030PK</b> | 6-1.00mm Screw Size<br>14mm Center of Hole to Edge<br>.80 - 2.00mm Panel Range<br>Zinc Organic<br>Extruded "U" Nuts<br>G.M. # 11570097                                                                                   | <b>15 Pcs.</b> |  |  |
| <b>13432PK</b> | 6-1.00mm Screw Size<br>14.50mm Center of Hole to Edge<br>2.00 - 4.00mm Panel Range<br>Zinc Finish<br>Extruded "U" Nuts<br>Honda # 90675-SA5-003                                                                          | <b>25 Pcs.</b> |  |  |



# Specialty Nuts

## Nuts Extruded Type "U" Metric

|                 |                                                                                                                                                                                                                                 |                |                                                                                      |                                                                                       |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>5650PK</b>   | 6-1.00mm Screw Size<br>19.50mm Center of Hole to Edge<br>1.00 - 2.50mm Panel Range<br>Black Finish<br>Extruded "U" Nuts<br>Ford # W520832-S424, W520832-S426<br>G.M. # 11503715, 11506099, 11508241                             | <b>25 Pcs.</b> |    |    |
| <b>5559PK</b>   | 6.3-1.00mm Screw Size<br>13.50mm Center of Hole to Edge<br>.80 - 4.00mm Panel Range<br>Black Finish<br>Extruded "U" Nuts<br>G.M. # 11500658, 9433043, 11502785                                                                  | <b>25 Pcs.</b> |    |    |
| <b>16075PK</b>  | 8-1.25mm Screw Size<br>.80 - 4.00mm Panel Range<br>14.5mm Center of Hole to Edge<br>Zinc Finish<br>Extruded "U" Nuts<br>Ford # W520823-S439, N800296-S439                                                                       | <b>15 Pcs.</b> |    |    |
| <b>5560PK</b>   | 8-1.25mm Screw Size<br>14.50mm Center of Hole to Edge<br>.80 - 4.00mm Panel Range<br>Black Finish<br>Extruded "U" Nuts<br>Chrysler # 6100042, 6101283<br>Ford # N623333-S2, N623333-S100<br>G.M. # 11500660, 11508925, 11502617 | <b>25 Pcs.</b> |    |    |
| <b>5557PK</b>   | 8-1.25mm Screw Size<br>20mm Center of Hole to Edge<br>.80 - 4.50mm Panel Range<br>Black Finish<br>Extruded "U" Nuts<br>Ford # N623343-S100, N623343-S2<br>G.M. # 11500661, 11503317, 11516150                                   | <b>25 Pcs.</b> |   |   |
| <b>16080PK</b>  | 8-1.25 Screw Size<br>21mm Center of Hole to Edge<br>.80 - 4.00mm Panel Range<br>Zinc Organic<br>Extruded "U" Nuts<br>Ford # W520813-S439<br>G.M. # 11516150                                                                     | <b>15 Pcs.</b> |  |  |
| <b>16099PK</b>  | 8-1.25mm Screw Size<br>3mm Panel Range<br>27.30mm Center of Hole to Edge<br>Silver Magni Finish<br>Fender Panel Extruded "U" Nuts<br>G.M. # 11569971                                                                            | <b>5 Pcs.</b>  |  |  |
| Not Actual Size |                                                                                                                                                                                                                                 |                |                                                                                      |                                                                                       |
| <b>5558PK</b>   | 10-1.50mm Screw Size<br>19mm Center of Hole to Edge<br>.90 - 6.00mm Panel Range<br>Black Finish<br>Extruded "U" Nuts<br>G.M. # 11500662, 22531616                                                                               | <b>25 Pcs.</b> |  |  |

## Retainers Grommets

|                |                                                                                                                                 |                |                                                                                       |                                                                                       |
|----------------|---------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>16380PK</b> | 2.50mm Stud Size<br>8mm Head Diameter<br>6mm Hole Size<br>Clear Nylon With Sealer<br>Emblem Tubular Nuts<br>Mazda # LA01-51-958 | <b>25 Pcs.</b> |  |  |
|----------------|---------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|

# Specialty Nuts

## Nuts Nylon

|                |                                                                                                                                                                                                            |                |                                                                                      |                                                                                       |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>9665PK</b>  | #4 (2.80mm) Screw Size<br>16mm Stem Length<br>12mm Head Diameter<br>7.00 x 7.00mm Square Hole<br>White Nylon With Sealer<br>Screw Grommets<br>Nissan # 01281-01121                                         | <b>10 Pcs.</b> |    |    |
| <b>11414PK</b> | #4 (2.90mm) Screw Size<br>7mm Stem Length<br>13mm Head Size<br>8.40 x 8.60mm Hole Size<br>Natural Nylon<br>Door Trim Grommets<br>Honda # 90866-SA0-000                                                     | <b>25 Pcs.</b> |    |    |
| <b>12634PK</b> | #4 (2.90mm) Screw Size<br>14mm Stem Length<br>9mm Head Size<br>7mm Hole Size<br>Natural Nylon<br>Side Moulding Screw Grommets<br>Lexus # 90189-04207                                                       | <b>25 Pcs.</b> |    |    |
| <b>2157PK</b>  | #4 (2.90mm) Screw Size<br>17mm Stem Length<br>13mm Head Diameter<br>7mm Hole Size<br>Natural Nylon<br>Center Pillar Screw Grommets<br>Honda # 91620-SR2-003                                                | <b>10 Pcs.</b> |    |    |
| <b>11193PK</b> | #6 (3.50mm) Screw Size<br>6.50mm Stem Length<br>9.60mm Head Size<br>6.00 x 6.50mm Hole Size<br>Natural Nylon With Sealer<br>Rear Bumper Grommets<br>G.M. # 11589183                                        | <b>50 Pcs.</b> |    |    |
| <b>10808PK</b> | #6 (3.50mm) Screw Size<br>7mm Stem Length<br>12.00 x 18.00mm Head Size<br>6.00 x 14.00mm Hole Size<br>White Nylon<br>Rocker Trim Screw Grommets<br>Lexus # 90189-04059                                     | <b>25 Pcs.</b> |  |  |
| <b>1297PK</b>  | #6 (3.50mm) Screw Size<br>5/16" Stem Length<br>13/32" Head Size<br>9/32" Hole Size<br>Natural Nylon<br>Headlight Screw Grommets<br>Chrysler # 6029501<br>G.M. # 1370853<br>V.W. # 179-813-883, 155-809-966 | <b>50 Pcs.</b> |  |  |
| <b>9112PK</b>  | #6 (3.50mm) Screw Size<br>8mm Stem Length<br>12mm Head Size<br>7.00 x 7.50mm Hole Size<br>Natural Nylon<br>Screw Grommets<br>Toyota # 90189-04011, 90189-04057                                             | <b>25 Pcs.</b> |  |  |
| <b>1978PK</b>  | #6 (3.50mm) Screw Size<br>8mm Stem Length<br>12.00 x 16.00mm Head Size<br>6.00 x 10.00mm Hole Size<br>Natural Nylon<br>Screw Grommets<br>Isuzu # 8941340270<br>Toyota # 90189-05012                        | <b>50 Pcs.</b> |  |  |

# Specialty Nuts

## Nuts Nylon

|                |                                                                                                                                                                                                                      |                 |                                                                                       |                                                                                       |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>9873PK</b>  | #6 (3.50mm) Screw Size<br>8mm Stem Length<br>12.50mm Head Diameter<br>7.00 x 7.50mm Hole Size<br>Natural Nylon Headlight Door to<br>Radiator Grille Grommets<br>G.M. # 1355003                                       | <b>50 Pcs.</b>  |    |    |
| <b>1227PK</b>  | #6 (3.50mm) Screw Size<br>8.50mm Stem Length<br>9.00 x 13.00mm Head Size<br>6.50 x 9.00mm Hole Size<br>Black Nylon<br>Front Fender Screw Grommets<br>Ford # N-800503S                                                | <b>50 Pcs.</b>  |    |    |
| <b>9111PK</b>  | #6 (3.50mm) Screw Size<br>8.50mm Stem Length<br>10mm Head Size<br>6.50 x 7.50mm Hole Size<br>Natural Nylon<br>Headlight Screw Grommets<br>AMC # 400141<br>G.M. # 380382<br>Mitsubishi # MS480001                     | <b>50 Pcs.</b>  |    |    |
| <b>1202PK</b>  | #6 (3.50mm) Screw Size<br>8.50mm Stem Length<br>13.00 x 17.00mm Head Size<br>7.00 x 15.00mm Hole Size<br>Natural Nylon<br>Grille Attachment Screw Grommets<br>G.M. # 14032291                                        | <b>50 Pcs.</b>  |    |    |
| <b>637PK</b>   | #6 (3.50mm) Screw Size<br>9mm Stem Length<br>14.00 x 21.00mm Head Size<br>7.00 x 18.50mm Hole Size<br>Natural Nylon<br>Rear Bumper Bar Screw Grommets<br>G.M. # 1377030                                              | <b>100 Pcs.</b> |   |   |
| <b>9085PK</b>  | #6 (3.50mm) Screw Size<br>3/8" Stem Length<br>15/64 x 23/64" Head Size<br>15/64" Hole Size<br>White Nylon<br>Marker Light Screw Grommets<br>G.M. # 1254815                                                           | <b>50 Pcs.</b>  |  |  |
| <b>15148PK</b> | #6 (3.50mm) Screw Size<br>9.50mm Stem Length<br>11.50mm Head Diameter<br>7mm Hole Size<br>Natural Nylon<br>Screw Grommets<br>Nissan # 96706-H2500                                                                    | <b>25 Pcs.</b>  |  |  |
| <b>11147PK</b> | #6 (3.50mm) Screw Size<br>10mm Stem Length<br>12mm Head Diameter<br>6.60mm Hole Size<br>Gray Nylon With Sealer<br>Rear Hatch Screw Grommets<br>Acura # 91601-STX-A00                                                 | <b>10 Pcs.</b>  |  |  |
| <b>9591PK</b>  | #6 (3.50mm) Screw Size<br>10mm Stem Length<br>14mm Head Diameter<br>7mm Hole Size<br>Natural Nylon With Sealer<br>Screw Grommets<br>Honda # 90662-693-0030, 90662-693-003,<br>90662-693-0031<br>Toyota # 90189-04066 | <b>25 Pcs.</b>  |  |  |

# Specialty Nuts

## Nuts Nylon

|   |                |                                                                                                                                                                                                                             |                |                                                                                      |                                                                                       |
|---|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 5 | <b>17939PK</b> | #6 (3.50mm) Screw Size<br>12mm Stem Length<br>8.00 x 10.00mm Head Size<br>White Nylon<br>Bumper Grommet<br>Hyundai # 86518-3M000                                                                                            | <b>25 Pcs.</b> |    |    |
|   | <b>10619PK</b> | #6 (3.50mm) Screw Size<br>12mm Stem Length<br>12.00 x 16.00mm Head Size<br>Blue Nylon With Sealer<br>Windshield Moulding Grommets<br>Nissan # 76848-50Y00                                                                   | <b>10 Pcs.</b> |    |    |
|   | <b>13344PK</b> | #6 (3.50mm) Screw Size<br>14mm Stem Length<br>9.50mm Head Size<br>6.50 x 7.00mm Hole Size<br>Black Nylon<br>Cowl Vent Nuts<br>Mercedes # 639-998-01-85<br>Replaces # 000-988-16-25                                          | <b>25 Pcs.</b> |    |    |
|   | <b>1636PK</b>  | #6 (3.50mm) Screw Size<br>15mm Stem Length<br>14.50mm Head Diameter<br>7mm Hole Size<br>Natural Nylon<br>Screw Grommets<br>Honda # 90672-671-8110M1<br>Toyota # 90189-04013                                                 | <b>25 Pcs.</b> |    |    |
|   | <b>10715PK</b> | #6 (3.50mm) Screw Size<br>16mm Stem Length<br>22.00 x 23.50mm Head Size<br>15mm Hole Size<br>Black Nylon<br>Headlight Screw Grommets<br>Ford # W712160-S300                                                                 | <b>15 Pcs.</b> |   |   |
|   | <b>2156PK</b>  | #6 (3.50mm) Screw Size<br>16.50mm Stem Length<br>8mm Head Size<br>7mm Hole Size<br>Natural Nylon With Sealer<br>Body Side Screw Grommets<br>Nissan # 01281-00501                                                            | <b>15 Pcs.</b> |  |  |
|   | <b>1407PK</b>  | #6 (3.50mm) Screw Size<br>16.50mm Stem Length<br>14.70 x 20.80mm Head Size<br>7.10 x 20.30mm Hole Size<br>Black Nylon<br>High Torque Screw Grommets<br>AMC # 8934-201-602<br>Chrysler # 6031869<br>G.M. # 10032838, 1264963 | <b>25 Pcs.</b> |  |  |

## Retainers Grommets

|  |                |                                                                                                                                                                  |                |                                                                                      |                                                                                       |
|--|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  | <b>16359PK</b> | 4mm Screw Size<br>11/32" (8.50mm) Hole Size<br>9.70mm Stem Length<br>9.50mm Flange Diameter<br>Gray Nylon With Sealer<br>Screw Grommets<br>Honda # 90656-SJK-J01 | <b>15 Pcs.</b> |  |  |
|--|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|

# Specialty Nuts

## Nuts Nylon

|                |                                                                                                                                                                                                                                                                                                                    |                 |                                                                                       |                                                                                       |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>11863PK</b> | #6 to #8 Screw Size<br>8.30mm Stem Length<br>11.00 x 13.60mm Head Size<br>Black Nylon<br>Cowl Vent Nuts<br>Chrysler # 6035274<br>G.M. # 15596280                                                                                                                                                                   | <b>25 Pcs.</b>  |    |    |
| <b>11185PK</b> | #8 (4.20mm) Screw Size<br>5mm Stem Length<br>15mm Head Diameter<br>8mm Hole Size<br>Gray Nylon<br>Rear Bumper Fascia Grommets<br>Honda # 90651-SL9-013, 90651-SL9-0130                                                                                                                                             | <b>15 Pcs.</b>  |    |    |
| <b>10993PK</b> | #8 (4.20mm) Screw Size<br>6.40mm Stem Length<br>10.00 x 16.00mm Head Size<br>7.00 x 11.40mm Hole Size<br>Black Nylon<br>Front Fascia Grommets<br>Honda # 90107-SOX-A01                                                                                                                                             | <b>15 Pcs.</b>  |    |    |
| <b>1577PK</b>  | #8 (4.20mm) Screw Size<br>6.50mm Stem Length<br>10mm Head Size<br>6.00 x 7.00mm Hole Size<br>Natural Nylon<br>Side Marker Light Screw Grommets<br>Honda # 75522-611-000, 75522-611-0000<br>Mazda # 9991-00-412<br>Mitsubishi # MS-480001<br>Nissan # 96706-B0700, 97606-B0700<br>Toyota # 90189-04042, 95900-04036 | <b>50 Pcs.</b>  |    |    |
| <b>2940PK</b>  | #8 (4.20mm) Screw Size<br>17/64" Stem Length<br>31/64" Head Size<br>5/16" Hole Size<br>Natural Nylon<br>Headlamp Screw Grommets<br>G.M. # 14013246                                                                                                                                                                 | <b>50 Pcs.</b>  |  |  |
| <b>9050PK</b>  | #8 (4.20mm) Screw Size<br>17/64" Stem Length<br>17/32" Head Size<br>11/32" Hole Size<br>Natural Nylon<br>Grille Screw Grommets<br>G.M.                                                                                                                                                                             | <b>50 Pcs.</b>  |  |  |
| <b>12902PK</b> | #8 (4.20mm) Screw Size<br>7mm Stem Length<br>10mm Head Size<br>7mm Hole Size<br>Natural Nylon<br>Screw Grommets<br>Toyota # 90189-04014                                                                                                                                                                            | <b>50 Pcs.</b>  |  |  |
| <b>1574PK</b>  | #8 (4.20mm) Screw Size<br>9/32" Stem Length<br>7/16" Head Size<br>5/16" Hole Size<br>Natural Nylon<br>Grille Screw Grommets<br>G.M. # 3919773, 22649878, 22649879                                                                                                                                                  | <b>100 Pcs.</b> |  |  |
| <b>2980PK</b>  | #8 (4.20mm) Screw Size<br>9/32" Stem Length<br>7/16" Head Size<br>5/16" Hole Size<br>Natural Nylon<br>Grille Screw Grommets<br>G.M. # 3893980, 347347                                                                                                                                                              | <b>50 Pcs.</b>  |  |  |

5



# Specialty Nuts

## Nuts Nylon

|                |                                                                                                                                                                         |                |                                                                                    |                                                                                     |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>1997PK</b>  | #8 (4.20mm) Screw Size<br>8mm Stem Length<br>13mm Head Diameter<br>7.50mm Hole Size<br>Black Nylon<br>Tail Light Screw Grommets<br>G.M. # 3997391<br>V.W. # 179-813-881 | <b>25 Pcs.</b> |  |  |
| <b>11143PK</b> | #8 (4.20mm) Screw Size<br>8mm Stem Length<br>17mm Head Diameter<br>9mm Hole Size<br>Natural Nylon<br>Headlight Mounting Nuts<br>Toyota # 90189-05142                    | <b>25 Pcs.</b> |  |  |

## Retainers Grommets

|                |                                                                                                                                       |                |                                                                                    |                                                                                     |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>16399PK</b> | 23/64" (9mm) Hole Size<br>8mm Stem Length<br>17mm Head Diameter<br>Yellow Nylon<br>Headlamp Assembly Grommets<br>Toyota # 90189-06238 | <b>25 Pcs.</b> |  |  |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|

## Nuts Nylon

|                |                                                                                                                                                                                            |                 |                                                                                      |                                                                                       |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>12667PK</b> | #8 (4.20mm) Screw Size<br>8.50mm Stem Length<br>9.70mm Head Diameter<br>6.50 x 7.50mm Hole Size<br>Natural Nylon With Sealer<br>Screw Grommets<br>G.M. # 9669486<br>Renault # 8934-201-262 | <b>25 Pcs.</b>  |    |    |
| <b>9113PK</b>  | #8 (4.20mm) Screw Size<br>9mm Stem Length<br>10mm Head Size<br>7mm Hole Size<br>Natural Nylon<br>Radiator Grille Screw Grommets<br>Chrysler # 6000943<br>Renault # 8934-201-263            | <b>100 Pcs.</b> |  |  |
| <b>12465PK</b> | #8 (4.20mm) Screw Size<br>9.50mm Head Size<br>6mm Hole Size<br>White Nylon<br>Screw Grommets<br>Honda # 34301-692A-0000                                                                    | <b>50 Pcs.</b>  |  |  |
| <b>9683PK</b>  | #8 (4.20mm) Screw Size<br>9mm Stem Length<br>12.00 x 12.00mm Square Head<br>10mm Hole Size<br>Natural Nylon<br>Door Handle Nuts<br>Hyundai # 14910-05000                                   | <b>25 Pcs.</b>  |  |  |
| <b>11898PK</b> | #8 (4.20mm) Screw Size<br>10mm Stem Length<br>12.50 x 14.50mm Head Size<br>Black Nylon<br>Radiator Grille Nuts<br>Chrysler # 6031234                                                       | <b>25 Pcs.</b>  |  |  |

# Specialty Nuts

## Nuts Nylon

|                |                                                                                                                                                                                                              |                |                                                                                       |                                                                                       |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>10783PK</b> | #8 (4.20mm) Screw Size<br>10mm Stem Length<br>14mm Head Size<br>8.00 x 12.00mm Hole Size<br>White Nylon With Sealer<br>Body Moulding Screw Grommets<br>Hyundai #87756-3D000                                  | <b>15 Pcs.</b> |    |    |
| <b>10922PK</b> | #8 (4.20mm) Screw Size<br>10mm Stem Length<br>14.50 x 16.70mm Head Size<br>Maroon Nylon<br>Scuff Plate Screw Grommets<br>V.W. # 1J0-853-120                                                                  | <b>15 Pcs.</b> |    |    |
| <b>10636PK</b> | #8 (4.20mm) Screw Size<br>10mm Stem Length<br>16mm Head Diameter<br>8.50mm Hole Size<br>Natural Nylon<br>Screw Grommets                                                                                      | <b>25 Pcs.</b> |    |    |
| <b>9688PK</b>  | #8 (4.20mm) Screw Size<br>10mm Stem Length<br>16mm Head Diameter<br>9mm Hole Size<br>Natural Nylon<br>Bumper, Fender & Light<br>Screw Grommets<br>Nissan # 01281-00831                                       | <b>25 Pcs.</b> |    |    |
| <b>10548PK</b> | #8 (4.20mm) Screw Size<br>10mm Stem Length<br>16mm Head Size<br>9mm Hole Size<br>Natural Nylon<br>Door Trim Panel Screw Grommets<br>Chrysler # 6035401                                                       | <b>25 Pcs.</b> |   |   |
| <b>10668PK</b> | #8 (4.20mm) Screw Size<br>3/8" Stem Length<br>5/8" Head Size<br>11/32" Hole Size<br>Tan Nylon With Sealer<br>Tail Light Screw Grommets<br>Chrysler # 6505703AA                                               | <b>15 Pcs.</b> |  |  |
| <b>12021PK</b> | #8 (4.20mm) Screw Size<br>13/32" Stem Length<br>3/8" Head Size<br>Black Nylon<br>Screw Grommets<br>Chrysler # 6033677<br>Ford # 379830-S, 383356-S                                                           | <b>25 Pcs.</b> |  |  |
| <b>1842PK</b>  | #8 (4.20mm) Screw Size<br>13/32" Stem Length<br>3/8" Head Size<br>1/4" Hole Size<br>Natural Nylon<br>Grille Screw Grommets<br>Ford # 379830-S                                                                | <b>50 Pcs.</b> |  |  |
| <b>10553PK</b> | #8 (4.20mm) Screw Size<br>13/32" Stem Length<br>1/2" x 21/32" Head Size<br>19/64" x 15/32" Hole Size<br>Black Nylon<br>Door Panel & Fender<br>Shield Screw Grommets<br>Chrysler # 6035821<br>G.M. # 11517759 | <b>25 Pcs.</b> |  |  |

5

# Specialty Nuts

## Nuts Nylon

|                |                                                                                                                                                                                  |                |                                                                                      |                                                                                       |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>10918PK</b> | #8 (4.20mm) Screw Size<br>11mm Stem Length<br>7.00 x 12.00mm Head Size<br>7mm Hole Size<br>Black Nylon<br>Inside Fender Screw Grommets<br>V.W. # 811-807-577C                    | <b>25 Pcs.</b> |    |    |
| <b>10556PK</b> | #8 (4.20mm) Screw Size<br>11mm Stem Length<br>10mm Head Size<br>6.70mm Hole Size<br>Natural Nylon<br>Door Reveal Screw Grommets<br>Ford # W710362<br>G.M. # 25647358             | <b>25 Pcs.</b> |    |    |
| <b>9681PK</b>  | #8 (4.20mm) Screw Size<br>12mm Stem Length<br>11.50mm Hole Size<br>Gray Nylon With Sealer<br>Trim Moulding Grommets<br>Hyundai # 87759-3S000                                     | <b>10 Pcs.</b> |    |    |
| <b>11264PK</b> | #8 (4.20mm) Screw Size<br>12mm Stem Length<br>20mm Head Diameter<br>9mm Hole Size<br>Black Nylon<br>Fender Apron Grommets<br>Honda # 90682-SEA-003                               | <b>25 Pcs.</b> |    |    |
| <b>15308PK</b> | #8 (4.20mm) Screw Size<br>13mm Stem Length<br>11mm Head Diameter<br>6.50 x 8.00mm Hole Size<br>Natural Nylon<br>Screw Grommets<br>V.W. # 165-827-592                             | <b>25 Pcs.</b> |   |   |
| <b>12478PK</b> | #8 (4.20mm) Screw Size<br>13mm Stem Length<br>15mm Head Diameter<br>Black Nylon<br>Fender Apron Screw Grommet<br>V.W. # N908-338-01                                              | <b>15 Pcs.</b> |  |  |
| <b>10384PK</b> | #8 (4.20mm) Screw Size<br>13mm Stem Length<br>23.20mm Square Head Size<br>10.00 x 14.00mm Hole Size<br>White Nylon<br>Cowl Vent Grommets<br>Ford # N807189-S100, N811353-S100    | <b>10 Pcs.</b> |  |  |
| <b>10779PK</b> | #8 (4.20mm) Screw Size<br>14mm Stem Length<br>16.70mm Head Size<br>8.00 x 10.00mm Hole Size<br>White Nylon With Sealer<br>Rocker Moulding Screw Grommets<br>Hyundai #87758-37000 | <b>25 Pcs.</b> |  |  |
| <b>10617PK</b> | #8 (4.20mm) Screw Size<br>14mm Stem Length<br>20 x 28mm Head Size<br>7.50 x 12mm Hole Size<br>Natural Nylon<br>Bumper Screw Grommets<br>Nissan # 71144-SR3-A00                   | <b>25 Pcs.</b> |  |  |

# Specialty Nuts

## Nuts Nylon

|                |                                                                                                                                                                                            |                |                                                                                       |                                                                                       |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>11281PK</b> | #8 (4.20mm) Screw Size<br>15mm Stem Length<br>15mm Head Diameter<br>8mm Hole Size<br>Natural Nylon With Sealer<br>Screw Grommets<br>Honda # 90664-SB3-003                                  | <b>10 Pcs.</b> |    |    |
| <b>9659PK</b>  | #8 (4.20mm) Screw Size<br>15mm Stem Length<br>20mm Head Diameter<br>White Nylon<br>Screw Grommets<br>Mazda # GJ6A-58-975                                                                   | <b>10 Pcs.</b> |    |    |
| <b>11028PK</b> | #8 (4.20mm) Screw Size<br>15mm Stem Length<br>20mm Head Diameter<br>10mm Hole Size<br>Natural Nylon With Sealer<br>Rocker Moulding Screw Grommets<br>Nissan # 01281-00711                  | <b>10 Pcs.</b> |    |    |
| <b>11202PK</b> | #8 (4.20mm) Screw Size<br>16mm Stem Length<br>12mm Head Size<br>7mm Hole Size<br>Natural Nylon With Sealer<br>Bumper Cover Grommets<br>G.M. # 11561847                                     | <b>25 Pcs.</b> |    |    |
| <b>10658PK</b> | #8 (4.20mm) Screw Size<br>16mm Stem Length<br>12mm Head Diameter<br>7mm Hole Size<br>Natural Nylon With Sealer<br>Door Panel Screw Grommets<br>Honda # 90370-SG0-003, 91626-SH3-003        | <b>15 Pcs.</b> |   |   |
| <b>12725PK</b> | #8 (4.20mm) Screw Size<br>16mm Stem Length<br>12mm Head Size<br>10mm Hole Size<br>Black Nylon<br>Screw Grommets<br>Mitsubishi # MB029111<br>Toyota # 90189-04008, 90467-12096,<br>94841130 | <b>15 Pcs.</b> |  |  |
| <b>10772PK</b> | #8 (4.20mm) Screw Size<br>16mm Stem Length<br>17.00 x 25.00mm Head Size<br>8.00 x 10.00mm Hole Size<br>Yellow Nylon With Sealer<br>Trim Screw Grommets<br>Hyundai #87759-27000             | <b>25 Pcs.</b> |   |  |
| <b>13318PK</b> | #8 (4.20mm) Screw Size<br>16mm Stem Length<br>18mm Flange Diameter<br>Natural Nylon<br>Trim Screw Grommets<br>Mercedes # 000-988-86-25                                                     | <b>25 Pcs.</b> |  |  |

5

# Specialty Nuts

## Nuts Nylon

|   |                |                                                                                                                                                                                                                                                                                               |                |                                                                                      |                                                                                       |
|---|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 5 | <b>1572PK</b>  | #8 (4.20mm) Screw Size<br>17mm Stem Length<br>16mm Head Diameter<br>8mm Hole Size<br>Natural Nylon<br>Screw Grommets<br>Honda # 90661-SC7-0030, 90661-SC7-003<br>Mazda # H001-50-841,<br>Mitsubishi # MS-480012<br>Nissan # 01651-00481, 74798-S90000,<br>01281-00231<br>Toyota # 90189-06042 | <b>25 Pcs.</b> |    |    |
|   | <b>11994PK</b> | #8 (4.20mm) Screw Size<br>18mm Stem Length<br>11.50mm Head Size<br>Black Nylon<br>Bumper & Tail Light Screw Grommets<br>Ford # W708580-S300                                                                                                                                                   | <b>25 Pcs.</b> |    |    |
|   | <b>10552PK</b> | #8 (4.20mm) Screw Size<br>18mm Stem Length<br>13.00 x 22.00mm Head Diameter<br>6.00 x 16.50mm Hole Size<br>Natural Nylon With Sealer<br>Back Glass Moulding & Inter. Trim<br>Ford # W705590-S300, W710459-S300<br>G.M. # 25649667                                                             | <b>15 Pcs.</b> |    |    |
|   | <b>10943PK</b> | #8 (4.20mm) Screw Size<br>18mm Stem Length<br>16mm Head Diameter<br>8mm Hole Size<br>Black Nylon<br>Interior Frame Grommets<br>V.W. # 4A0-857-610                                                                                                                                             | <b>25 Pcs.</b> |    |    |
|   | <b>10406PK</b> | #8 (4.20mm) Screw Size<br>18mm Stem Length<br>16mm Head Diameter<br>9mm Hole Size<br>Natural Nylon With Sealer<br>Trunk Trim Screw Grommets<br>Mitsubishi # MU480034                                                                                                                          | <b>15 Pcs.</b> |  |  |
|   | <b>10938PK</b> | #8 (4.20mm) Screw Size<br>18.50mm Stem Length<br>16mm Head Diameter<br>8.50mm Hole Size<br>Natural Nylon<br>Screw Grommets<br>V.W. # 321-813-998A                                                                                                                                             | <b>25 Pcs.</b> |  |  |
|   | <b>10524PK</b> | #8 (4.20mm) Screw Size<br>20mm Stem Length<br>15mm Head Size<br>8.50mm Hole Size<br>Natural Nylon With Sealer<br>Door Trim Screw Grommets<br>Chrysler # 6507009-AA                                                                                                                            | <b>25 Pcs.</b> |  |  |
|   | <b>10926PK</b> | #8 (4.20mm) Screw Size<br>20mm Stem Length<br>15mm Head Diameter<br>9mm Hole Size<br>Black Nylon<br>Bumper & Fender Screw Grommets<br>V.W. # N908-214-01                                                                                                                                      | <b>15 Pcs.</b> |  |  |
|   | <b>12051PK</b> | #8 (4.20mm) Screw Size<br>20mm Stem Length<br>16mm Head Diameter<br>Natural Nylon With Sealer<br>Screw Grommets<br>Nissan # 01281-00691                                                                                                                                                       | <b>15 Pcs.</b> |  |  |



# Specialty Nuts

## Nuts Nylon

|               |                                                                                                                                                                 |                |                                                                                     |                                                                                     |
|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>9662PK</b> | #8 (4.20mm) Screw Size<br>21mm Stem Length<br>18mm Head Size<br>8.50mm Hole Size<br>Natural Nylon With Sealer<br>Bumper Screw Grommets<br>Hyundai # 86910-21010 | <b>15 Pcs.</b> |  |  |
| <b>2117PK</b> | #8 (4.20mm) Screw Size<br>23mm Stem Length<br>10mm Head Size<br>7mm Hole Size<br>Natural Nylon<br>Screw Grommets<br>Ford # N804765-S                            | <b>50 Pcs.</b> |  |  |

## Retainers Grommets & Pin

|                |                                                                                                                               |                |                                                                                    |                                                                                     |
|----------------|-------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>16447PK</b> | 11/64" (4.50mm) Hole Size<br>5mm Stem Length<br>28mm Head Diameter<br>Black Nylon<br>Bumper Cover Grommets<br>G.M. # 15265199 | <b>25 Pcs.</b> |  |  |
|----------------|-------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|

## Nuts Nylon

|                |                                                                                                                                                                                    |                |                                                                                       |                                                                                       |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>9323PK</b>  | #10 (4.80mm) Screw Size<br>7mm Stem Length<br>13mm Head Diameter<br>8mm Hole Size<br>Natural Nylon<br>Screw Grommets<br>Mitsubishi # MB383455<br>Nissan # 01281-00022, 72774-01F00 | <b>50 Pcs.</b> |   |   |
| <b>1610PK</b>  | #10 (4.80mm) Screw Size<br>7mm Stem Length<br>14mm Head Size<br>9mm Hole Size<br>Black Nylon<br>Screw Grommets<br>Toyota # 90189-06018                                             | <b>25 Pcs.</b> |  |  |
| <b>13324PK</b> | #10 (4.80mm) Screw Size<br>7mm Stem Length<br>14.00 x 14.00mm Head Size<br>9.50 x 8.50mm Hole Size<br>Yellow Nylon<br>Screw Grommets<br>Subaru # 66117-9000, 90930-0007            | <b>25 Pcs.</b> |  |  |
| <b>10978PK</b> | #10 (4.80mm) Screw Size<br>7.30mm Stem Length<br>17mm Head Size<br>1.50 x 7.00mm Hole Size<br>Natural Nylon<br>Bumper Grommets<br>Honda # 90107-SX0-003                            | <b>15 Pcs.</b> |  |  |
| <b>14992PK</b> | #10 (4.80mm) Screw Size<br>7.50mm Stem Length<br>11.50mm Head Size<br>8.00 x 8.00mm Hole Size<br>Natural Nylon<br>Spalsh Shield Grommets<br>Mazda # 9991-00-501                    | <b>25 Pcs.</b> |  |  |

# Specialty Nuts

## Nuts Nylon

|   |                |                                                                                                                                                                                                                                                     |                |                                                                                      |                                                                                       |
|---|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 5 | <b>15829PK</b> | #10 (4.80mm) Screw Size<br>8mm Stem Length<br>13mm Head Diameter<br>8mm Hole Size<br>White Nylon<br>License Plate Grommets<br>G.M. # 3783006                                                                                                        | <b>50 Pcs.</b> |    |    |
|   | <b>1614PK</b>  | #10 (4.80mm) Screw Size<br>8mm Stem Length<br>13mm Head Size<br>8.50mm Hole Size<br>Natural Nylon<br>Screw Grommets<br>Honda # 75521-611-0000, 91619-SA5-003<br>Mazda # 9991-00-601<br>Nissan # 96706-P0105<br>Toyota # 90189-06010                 | <b>25 Pcs.</b> |    |    |
|   | <b>10771PK</b> | #10 (4.80mm) Screw Size<br>8mm Stem Length<br>14.70mm Head Diameter<br>8.50mm Hole Size<br>Yellow Nylon<br>Interior Trim Grommets<br>Hyundai # 81385-38000                                                                                          | <b>25 Pcs.</b> |    |    |
|   | <b>1296PK</b>  | #10 (4.80mm) Screw Size<br>8mm Stem Length<br>16.50mm Head Size<br>8.00 x 8.50mm Hole Size<br>Natural Nylon<br>Screw Grommets<br>Honda # 90662-671-0030, 90662-671-003,<br>90662-SB-003<br>Mazda # 9991-00-503<br>Nissan # 68425-H5000, 62698-V7000 | <b>25 Pcs.</b> |    |    |
|   | <b>15343PK</b> | #10 (4.80mm) Screw Size<br>8.70mm Stem Length<br>17.00 x 17.00mm Head Size<br>White Nylon<br>Arm Rest Screw Grommets<br>Subaru # 94079AA000                                                                                                         | <b>15 Pcs.</b> |  |  |
|   | <b>10549PK</b> | #10 (4.80mm) Screw Size<br>9.50mm Stem Length<br>14.00 x 20.00mm Head Size<br>White Nylon<br>Cowl Vent Grommets<br>Chrysler # 4860375-AB                                                                                                            | <b>50 Pcs.</b> |  |  |
|   | <b>10659PK</b> | #10 (4.80mm) Screw Size<br>10mm Stem Length<br>16mm Head Diameter<br>9mm Hole Size<br>Natural Nylon<br>Screw Grommets<br>Nissan # 01281-00111<br>Toyota # 90189-06006                                                                               | <b>25 Pcs.</b> |  |  |
|   | <b>12914PK</b> | #10 (4.80mm) Screw Size<br>10mm Stem Length<br>16mm Head Size<br>Black Nylon<br>Wheel Well Moulding Screw Grommets<br>Honda # 90107-S10-003                                                                                                         | <b>25 Pcs.</b> |  |  |
|   | <b>10796PK</b> | #10 (4.80mm) Screw Size<br>11mm Stem Length<br>12mm Head Size<br>9mm Hole Size<br>White Nylon<br>Bumper & Fender Screw Grommets<br>Hyundai # 14913-05010                                                                                            | <b>25 Pcs.</b> |  |  |

# Specialty Nuts

## Nuts Nylon

|                |                                                                                                                                                                                                                  |                |                                                                                       |                                                                                       |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>17945PK</b> | #10 (4.80mm) Screw Size<br>11mm Stem Length<br>9.50mm Head Size<br>Natural Nylon<br>Lower Door & Handle<br>Interior Trim Grommets<br>G.M. # 90230846, 94515248                                                   | <b>25 Pcs.</b> |    |    |
| <b>1560PK</b>  | #10 (4.80mm) Screw Size<br>11mm Stem Length<br>12mm Head Size<br>8.00 x 9.00mm Hole Size<br>Natural Nylon<br>Grille Screw Grommets<br>G.M. # 94841764<br>Mitsubishi # MS480002, MS480009<br>Toyota # 90189-05013 | <b>50 Pcs.</b> |    |    |
| <b>17833PK</b> | #10 (4.80mm) Screw Size<br>11mm Stem Length<br>20mm Head Diameter<br>11.50 x 7.50mm Hole Size<br>Black Nylon Radiator Grille<br>Screw Grommets                                                                   | <b>25 Pcs.</b> |    |    |
| <b>17908PK</b> | #10 (4.80mm) Screw Size<br>11mm Stem Length<br>20mm Head Diameter<br>11.50 x 7.50mm Hole Size<br>Red Nylon Radiator Grille<br>Screw Grommets<br>Ford # W702438-S300                                              | <b>25 Pcs.</b> |    |    |
| <b>10777PK</b> | #10 (4.80mm) Screw Size<br>12mm Stem Length<br>16mm Head Diameter<br>8.50mm Hole Size<br>Black Nylon<br>Fender Apron Screw Grommets<br>Hyundai # 86848-22000, 86848-C8000                                        | <b>25 Pcs.</b> |  |  |
| <b>12585PK</b> | #10 (4.80mm) Screw Size<br>12.50mm Stem Length<br>12mm Head Diameter<br>Black Nylon<br>Screw Grommets<br>Audi # 867-809-966<br>V.W. # 811-807-557-C                                                              | <b>25 Pcs.</b> |  |  |
| <b>10620PK</b> | #10 (4.80mm) Screw Size<br>13mm Stem Length<br>16mm Head Diameter<br>8.50mm Hole Size<br>Natural Nylon With Sealer<br>Body Moulding Screw Grommets<br>Nissan # 01281-00601                                       | <b>15 Pcs.</b> |  |  |
| <b>10981PK</b> | #10 (4.80mm) Screw Size<br>14mm Stem Length<br>14mm Head Size<br>8.50mm Hole Size<br>Black Nylon<br>Rear Bumper Screw Grommets<br>Honda # 90682-SDA-A01                                                          | <b>15 Pcs.</b> |  |  |
| <b>10426PK</b> | #10 (4.80mm) Screw Size<br>14mm Stem Length<br>25.00 x 26.00mm Head Size<br>9.50 x 23.00mm Hole Size<br>Black Nylon<br>Headlight To Grille<br>Spacer Bracket Grommets<br>Honda # 91635-SM4-003                   | <b>10 Pcs.</b> |   |  |

5

# Specialty Nuts

## Nuts Nylon

|                |                                                                                                                                                                                                                              |                |                                                                                      |                                                                                       |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>13322PK</b> | #10 (4.80mm) Screw Size<br>15mm Stem Length<br>12mm Head Diameter<br>6.50 x 8.00mm Hole Size<br>Black Nylon<br>Screw Grommets<br>V.W. # 6N0-809-966A                                                                         | <b>25 Pcs.</b> |    |    |
| <b>11156PK</b> | #10 (4.80mm) Screw Size<br>16mm Stem Length<br>20mm Flange Diameter<br>8.50mm Hole Size<br>White Nylon With Sealer<br>Bumper Grommets<br>Nissan # 63846-5V000                                                                | <b>25 Pcs.</b> |    |    |
| <b>15147PK</b> | #10 (4.80mm) Screw Size<br>17mm Stem Length<br>12.00 x 19.00mm Head Size<br>8.00 x 15.00mm Hole Size<br>White Nylon<br>Screw Grommets<br>Honda # 90683-693-0000<br>Nissan # 78856-R4301                                      | <b>25 Pcs.</b> |    |    |
| <b>1576PK</b>  | #10 (4.80mm) Screw Size<br>17mm Stem Length<br>18mm Head Diameter<br>8.50mm Hole Size<br>Natural Nylon<br>Screw Grommets<br>Mitsubishi # MB-098145<br>Nissan # 01281-00023, 01281-00231<br>Toyota # 90189-06001, 96706-U0100 | <b>25 Pcs.</b> |    |    |
| <b>11036PK</b> | #10 (4.80mm) Screw Size<br>17.50mm Stem Length<br>16mm Head Diameter<br>10mm Hole Size<br>Natural Nylon<br>Front Bumper Grommets<br>Nissan # 01281-01081                                                                     | <b>15 Pcs.</b> |  |  |
| <b>12611PK</b> | #10 (4.80mm) Screw Size<br>18mm Stem Length<br>9.50 x 8.50mm Hole Size<br>White Nylon With Sealer<br>Bumper Cover Screw Nuts<br>Hyundai # 86625-3S000                                                                        | <b>25 Pcs.</b> |  |  |
| <b>10942PK</b> | #10 (4.80mm) Screw Size<br>20mm Stem Length<br>16mm Head Diameter<br>8mm Hole Size<br>Black Nylon<br>Door Panel Screw Grommets<br>V.W. # 357-827-998                                                                         | <b>15 Pcs.</b> |  |  |
| <b>11229PK</b> | #10 (4.80mm) Screw Size<br>24mm Stem Length<br>16mm Head Diameter<br>10mm Hole Size<br>White Nylon With Sealer<br>Front Bumper Screw Grommets<br>Ford # W708319-S300                                                         | <b>25 Pcs.</b> |  |  |

## Retainers Grommets

|                |                                                                                                                                                                   |                |                                                                                      |                                                                                       |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>10977PK</b> | 5-.80mm Screw Size<br>8mm Stem Length<br>13mm Head Size<br>8mm Hole Size<br>Natural Nylon<br>Headlight Adjusting Grommets<br>Honda # 90676-SA7-003, 90682-SB0-003 | <b>25 Pcs.</b> |  |  |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|

# Specialty Nuts

## Nuts Nylon

|                |                                                                                                                                                                                         |                |                                                                                       |                                                                                       |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>10775PK</b> | #12 (5.50mm) Screw Size<br>8.50mm Stem Length<br>13mm Head Size<br>9mm Hole Size<br>White Nylon<br>Rocker Moulding Screw Grommets<br>Hyundai # 87756-35000                              | <b>25 Pcs.</b> |    |    |
| <b>18102PK</b> | #12 (5.50mm) Screw Size<br>9mm Stem Length<br>10mm Top Head Size<br>Yellow Nylon<br>Front & Rear Bumper<br>Screw Grommets<br>Nissan # 85099-1MA0A                                       | <b>25 Pcs.</b> |    |    |
| <b>10745PK</b> | #12 (5.50-6mm) Screw Size<br>9mm Stem Length<br>17.00 x 30.00mm Head Size<br>Black Nylon<br>Front Bumper Screw Grommets<br>Toyota # 52535-50060, 52535-0E010                            | <b>5 Pcs.</b>  |     |    |
| <b>10794PK</b> | #12 (5.50mm) Screw Size<br>10mm Stem Length<br>14.00 x 16.00mm Head Size<br>9.00 x 11.00mm Hole Size<br>White Nylon<br>Front Bumper Screw Grommets<br>Toyota # 90189-06193, 90189-06237 | <b>25 Pcs.</b> |    |    |
| <b>12073PK</b> | #12 (5.50mm) Screw Size<br>10mm Stem Length<br>17mm Head Diameter<br>9mm Square Hole Size<br>Black Nylon<br>Rocker & Floor Screw Grommets<br>Toyota # 90189-06211                       | <b>25 Pcs.</b> |   |   |
| <b>9503PK</b>  | #12 (5.50mm) Screw Size<br>11mm Stem Length<br>15.60mm Flange Size<br>9mm Hole Size<br>Black Nylon<br>License Plate Nuts<br>Chrysler # 6032516                                          | <b>25 Pcs.</b> |  |  |
| <b>10551PK</b> | #12 (5.50mm) Screw Size<br>9/16" Stem Length<br>5/8 x 3/4" Head Size<br>11/32 x 1/2" Hole Size<br>Natural Nylon<br>Door Handle Screw Grommets<br>G.M. # 11517873                        | <b>15 Pcs.</b> |  |  |
| <b>15839PK</b> | #12 (5.50mm) Screw Size<br>15mm Stem Length<br>16mm Head Diameter<br>10mm Hole Size<br>Natural Nylon Back Panel<br>Attachment Grommets<br>Ford # W700566-S300                           | <b>25 Pcs.</b> |  |  |
| <b>18164PK</b> | #12 (5.50mm) Screw Size<br>17mm Stem Length<br>20mm Flange Diameter<br>9mm Hole Size<br>Black Nylon<br>Fender Liner Screw Grommets<br>Toyota # 90189-06236                              | <b>25 Pcs.</b> |   |  |

5



# Specialty Nuts

## Nuts Nylon

|   |                |                                                                                                                                                                                                         |                |                                                                                      |                                                                                       |
|---|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 5 | <b>15812PK</b> | #12 (5.50mm) Screw Size<br>17mm Stem Length<br>20mm Head Diameter<br>9mm Square Hole Size<br>Black Nylon<br>Screw Grommets<br>Toyota # 90189-A0002                                                      | <b>25 Pcs.</b> |    |    |
|   | <b>10988PK</b> | #12 (5.50mm) Screw Size<br>18mm Stem Length<br>16mm Head Diameter<br>9mm Hole Size<br>Black Nylon<br>Fender Liner Screw Grommets<br>Toyota # 90189-06214                                                | <b>15 Pcs.</b> |    |    |
|   | <b>13323PK</b> | #12 (5.50mm) Screw Size<br>18mm Stem Length<br>20mm Head Diameter<br>White Nylon With Sealer<br>Screw Grommets<br>Subaru # 91084AA010                                                                   | <b>15 Pcs.</b> |    |    |
|   | <b>11389PK</b> | #12 (5.50mm) Screw Size<br>18mm Stem Length<br>20mm Head Diameter<br>9mm Hole Size<br>Black Nylon<br>Fender & Hood Screw Grommets<br>Toyota # 90189-06065                                               | <b>15 Pcs.</b> |    |    |
|   | <b>9912PK</b>  | #12 (5.50mm) Screw Size<br>19mm Stem Length<br>16mm Head Diameter<br>8mm Square Hole Size<br>Black Nylon<br>Front & Rear Wheel Fender<br>Liner Screw Grommets<br>G.M # 94854203<br>Toyota # 90189-06028 | <b>15 Pcs.</b> |   |   |
|   | <b>9136PK</b>  | #12 (5.50mm) Screw Size<br>13/16" Stem Length<br>1/2" Head Size<br>3/8" Square Hole<br>Natural Nylon<br>Windshield Washer Reservoir<br>Mounting Screw Grommets<br>Ford # F5RZ-17K657-A                  | <b>25 Pcs.</b> |  |  |
|   | <b>9913PK</b>  | #12 (5.50mm) Screw Size<br>22mm Stem Length<br>20mm Head Diameter<br>8mm Square Hole Size<br>Black Nylon<br>Front & Rear Wheel Fender<br>Liner Screw Grommets<br>Toyota # 90189-06157                   | <b>15 Pcs.</b> |  |  |
|   | <b>9481PK</b>  | #12 (5.50mm) Screw Size<br>24mm Stem Length<br>22.00 x 18.00mm Head Size<br>White Nylon With Sealer<br>Front Bumper Screw Grommets<br>Lexus # 52197-30040                                               | <b>15 Pcs.</b> |  |  |

# Specialty Nuts

## Nuts Nylon

|                |                                                                                                                                                                        |                |                                                                                       |                                                                                       |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>9101PK</b>  | #14 (6.30mm) Screw Size<br>8mm Stem Length<br>13.00 x 15.00mm Head Size<br>8.50 x 10.50mm Hole Size<br>Natural Nylon<br>Screw Grommets<br>Honda # 90656-671-6310M1     | <b>50 Pcs.</b> |    |    |
| <b>9494PK</b>  | #14 (6.30mm) Screw Size<br>5/16" Stem Length<br>5/8 x 3/4" Head Size<br>3/8" Hole Size<br>Natural Nylon<br>License Plate Nuts<br>Ford # 380707-S                       | <b>50 Pcs.</b> |    |    |
| <b>9872PK</b>  | #14 (6.30mm) Screw Size<br>8mm Stem Length<br>14.30mm Head Diameter<br>8.50mm Hole Size<br>Natural Nylon<br>License Plate Screw Grommets<br>G.M. # 380370              | <b>50 Pcs.</b> |    |    |
| <b>17927PK</b> | #14 (6.30mm) Screw Size<br>8mm Stem Length<br>16mm Head Size<br>Black Nylon With Sealer<br>Bumper, License Plate & Tail Light<br>Screw Grommets<br>G.M. # 25832258     | <b>10 Pcs.</b> |    |    |
| <b>1228PK</b>  | #14 (6.30mm) Screw Size<br>5/16" Stem Length<br>5/8" Head Size<br>13/32" Hole Size<br>White Plastic License Plate Nuts<br>Chrysler # 6023925<br>G.M. # 3907444         | <b>50 Pcs.</b> |   |   |
| <b>10461PK</b> | #14 (6.30mm) Screw Size<br>8mm Stem Length<br>16mm Head Size<br>9.50 x 10.00mm Hole Size<br>Black Nylon With Sealer<br>License Plate Grommets<br>Ford # N811478-S100   | <b>15 Pcs.</b> |  |  |
| <b>9678PK</b>  | #14 (6.30mm) Screw Size<br>10mm Stem Length<br>12.00 x 16.00mm Head Size<br>Gray Nylon Wheel Well Opening<br>Screw Grommets<br>Use With # 9679<br>Nissan # 76848-JG00A | <b>15 Pcs.</b> |  |  |
| <b>9679PK</b>  | 8 x 17mm Head Size<br>12mm Stem Length<br>Yellow Nylon Wheel Well<br>Opening Moulding Clips<br>Use With # 9678<br>Nissan # 76847-JG00A                                 | <b>25 Pcs.</b> |  |  |
| <b>12664PK</b> | #14 (6.30mm) Screw Size<br>11mm Stem Length<br>15mm Head Diameter<br>9.50mm Hole Size<br>Natural Nylon<br>Screw Grommets<br>G.M. # 4755299                             | <b>50 Pcs.</b> |  |  |

5


# Specialty Nuts

## Nuts Nylon

|                |                                                                                                                                                                                   |                |                                                                                      |                                                                                       |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>10525PK</b> | #14 (6.30mm) Screw Size<br>14mm Stem Length<br>20mm Head Size<br>8mm Hole Size<br>Black Nylon<br>License Plate Grommets<br>G.M. # 22546934                                        | <b>50 Pcs.</b> |    |    |
| <b>11020PK</b> | #14 (6.30mm) Screw Size<br>16mm Stem Length<br>20mm Head Diameter<br>10mm Hole Size<br>Natural Nylon With Sealer<br>Rocker Panel Screw Grommets<br>Nissan # 01281-00331           | <b>25 Pcs.</b> |    |    |
| <b>1605PK</b>  | #14 (6.30mm) Screw Size<br>17mm Stem Length<br>20mm Head Diameter<br>8mm Square Hole Size<br>Black Nylon<br>Screw Grommets<br>Toyota # 90189-06013, 96706-W100                    | <b>25 Pcs.</b> |    |    |
| <b>10550PK</b> | #14 (6.30mm) Screw Size<br>17mm Stem Length<br>24mm Head Size<br>15mm Hole Size<br>Black Nylon With Sealer<br>Light Housing Screw Grommets<br>G.M. # 15745990, 15289020, 11609535 | <b>15 Pcs.</b> |    |    |
| <b>13437PK</b> | #14 (6.30mm) Screw Size<br>19mm Stem Length<br>16.00 x 18.00mm Head Size<br>Black Nylon Bumper<br>Side Bracket Screw Grommets<br>Toyota # 52197-22020                             | <b>15 Pcs.</b> |   |   |
| <b>10119PK</b> | #14 (6.30mm) Screw Size<br>3/8" Hole Size<br>Natural Nylon<br>License Plate Screw Grommets<br>Chrysler # 6027958                                                                  | <b>10 Pcs.</b> |  |  |
| <b>11391PK</b> | #14 (6.30mm) Screw Size<br>23mm Stem Length<br>15.00 x 18.00mm Head Size<br>White Nylon With Sealer<br>Rear Bumper Screw Grommets<br>G.M. # 25704358                              | <b>10 Pcs.</b> |  |  |
| <b>1608PK</b>  | #14 (6.30-1.81mm) Screw Size<br>16mm Stem Length<br>18mm Head Diameter<br>8mm Hole Size<br>White Nylon<br>Screw Grommets<br>Toyota # 90189-06005                                  | <b>50 Pcs.</b> |  |  |
| <b>13440PK</b> | #14 (6.30-1.81mm) Screw Size<br>16mm Stem Length<br>15.00 x 19.00mm Head Size<br>Brown Nylon With Sealer<br>Screw Grommets<br>Nissan # 26557-2U001                                | <b>15 Pcs.</b> |  |  |

# Specialty Nuts

## Nuts Nylon

|                |                                                                                                                                                                        |                |                                                                                       |                                                                                       |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>9079PK</b>  | 23/64" (9mm) Hole Size<br>15mm Stem Length<br>18mm Head Diameter<br>White Nylon<br>Front Fender Screw Grommets<br>Toyota # 90189-06114                                 | <b>15 Pcs.</b> |    |    |
| <b>15341PK</b> | 25/64" (10mm) Hole Size<br>19.50mm Stem Length<br>25.00 x 33.00mm Head Size<br>Black Nylon With Sealer<br>Bumper Cover Grommets<br>Subaru # 99011FC000NN               | <b>15 Pcs.</b> |     |    |
| <b>10055PK</b> | 15/32" (12mm) Hole Size<br>12mm Stem Length<br>16mm Head Size<br>Black Nylon<br>Tail Light Grommets<br>Chrysler # 6504072                                              | <b>25 Pcs.</b> |    |    |
| <b>16308PK</b> | 15/64" (6.00mm) Screw Size<br>23mm Stem Length<br>15mm Square Head<br>10mm Square Hole Size<br>Gray Nylon With Sealer<br>License Plate Grommets<br>Ford # W714172-S300 | <b>15 Pcs.</b> |   |   |
| <b>13248PK</b> | 33/64" (13mm) Hole Size<br>21mm Stem Length<br>24mm Head Diameter<br>Black Nylon<br>Bumper Cover Grommet<br>Mitsubishi # MB271999                                      | <b>10 Pcs.</b> |   |  |
| <b>13299PK</b> | 5mm Stud Diameter<br>10mm Hex Size<br>16mm Flange Diameter<br>Black Nylon<br>Flange Nuts<br>BMW # 16-13-1-176-747<br>Mercedes # 003-990-02-51                          | <b>25 Pcs.</b> |  |  |
| <b>12062PK</b> | 11mm Head Size<br>9mm Stem Length<br>8mm Hole Size<br>White Nylon<br>Front & Rear Bumper Cover Grommets<br>Kia # 86699-2D000                                           | <b>25 Pcs.</b> |  |  |
| <b>13083PK</b> | 16mm Head Diameter<br>12mm Stem Length<br>8mm Hole Size<br>Black Nylon<br>Screw Grommets<br>Nissan # 76881-JG00A                                                       | <b>15 Pcs.</b> |  |  |
| <b>11397PK</b> | 18mm Top Head Diameter<br>9.50mm Stem Length<br>10mm Hole Size<br>Natural Nylon<br>Bumper Grommets<br>Honda # 91509-SM4-000                                            | <b>10 Pcs.</b> |  |  |

5

# Specialty Nuts

## Nuts Nylon

|                |                                                                                                                                        |                |                                                                                    |                                                                                     |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>10999PK</b> | 18.00 x 20.00mm Head Size<br>19mm Stem Length<br>8.00 x 11.00mm Hole Size<br>White Nylon<br>Bumper Grommets<br>Honda # 90106-SW3-003   | <b>10 Pcs.</b> |  |  |
| <b>12075PK</b> | 25 x 30mm Head Size<br>15mm Stem Length<br>35mm Overall Length<br>Black Nylon With Sealer<br>Bumper Cover Grommet<br>Kia # 86591-25000 | <b>5 Pcs.</b>  |  |  |
| <b>10971PK</b> | 17mm Overall Height<br>30mm Overall Length<br>Black Nylon<br>Bumper Filler Clips<br>Toyota # 53935-35020                               | <b>10 Pcs.</b> |  |  |
| <b>11129PK</b> | 22mm Overall Length<br>Natural Nylon<br>Front Bumper Grommets<br>Nissan # 01281-01321                                                  | <b>50 Pcs.</b> |  |  |

## Retainers Grommets

|                |                                                                                                                                                                           |                |                                                                                      |                                                                                       |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>15716PK</b> | 9/32" (7mm) Hole Size<br>5mm Stem Length<br>9mm Head Diameter<br>White Nylon<br>Moulding Grommet<br>Mercedes # 000-987-10-81                                              | <b>50 Pcs.</b> |  |  |
| <b>13333PK</b> | 9/32" (7mm) Stud Size<br>16mm Stem Length<br>16mm Head Diameter<br>8.50mm Hole Size<br>Natural Nylon<br>Tubular Nuts<br>BMW # 51-44-7-780-135<br>Mercedes # 108-988-00-27 | <b>25 Pcs.</b> |  |  |
| <b>16456PK</b> | 5/16" (8mm) Hole Size<br>13mm Stem Length<br>13mm Head Diameter<br>White Nylon With Sealer<br>Cowl & Wheelhouse<br>Screw Grommets<br>Honda # 90601-S30-003                |                |  |  |
| <b>16455PK</b> | 5/16" (8mm) Hole Size<br>14mm Stem Length<br>18mm Head Diameter<br>Blue Nylon With Sealer<br>Tail Light Grommets<br>Honda # 91626-TA0-A01                                 | <b>25 Pcs.</b> |  |  |
| <b>10498PK</b> | 8.75 x 15.75mm Hole Size<br>17.50mm Stem Length<br>13.00 x 20.00mm Head Size<br>Blue Nylon With Sealer<br>Headlight Screw Grommets<br>G.M. # 11561382, 11610198           | <b>10 Pcs.</b> |  |  |



## Specialty Nuts

### Retainers Grommets

|                |                                                                                                                                                            |                |                                                                                     |                                                                                     |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>10973PK</b> | 23/64" (9mm) Hole Size<br>6mm Stem Length<br>13mm Head Diameter<br>Black Nylon<br>Inserts Grommets<br>V.W. # 357-853-586D                                  | <b>25 Pcs.</b> |  |  |
| <b>1404PK</b>  | 23/64" (9mm) Hole Size<br>6.70mm Stem Length<br>10.50mm Head Diameter<br>4.50mm Pin Diameter<br>Red Nylon<br>Moulding Grommets<br>Mercedes # 000-988-15-81 | <b>50 Pcs.</b> |  |  |
| <b>12477PK</b> | 23/64" (9mm) Hole Size<br>12mm Stem Length<br>11.50mm Head Diameter<br>White Nylon<br>Moulding Insert Grommets<br>Mercedes # 001-988-20-81, 001-988-76-81  | <b>25 Pcs.</b> |  |  |

### Nuts Nylon

|                |                                                                                                                               |                |                                                                                     |                                                                                     |
|----------------|-------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>12626PK</b> | 23/64" (9mm) Hole Size<br>14mm Stem Length<br>4.50mm Inside Diameter<br>Red Nylon<br>Tubular Nuts<br>Mercedes # 001-988-20-81 | <b>50 Pcs.</b> |  |  |
|----------------|-------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|

### Nuts Miscellaneous

|                |                                                                                                                                        |                |                                                                                      |                                                                                      |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| <b>18099PK</b> | 23/64" (9mm) Hole Size<br>9mm Overall Height<br>30mm Head Diameter<br>Gray Nylon<br>Sound Insulation Grommets<br>BMW # 51-48-8-126-849 | <b>25 Pcs.</b> |  |  |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|

### Retainers Grommets

|                |                                                                                                                    |                |                                                                                       |                                                                                       |
|----------------|--------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>18261PK</b> | 9.80mm Hole Size<br>4.80mm Stud Size<br>17mm Head Diameter<br>Black Rubber<br>Tail Lamp Grommet<br>G.M. # 11571225 | <b>10 Pcs.</b> |  |  |
|----------------|--------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|

### Nuts Push On Type Non-Threaded Stud

|                |                                                                                                                                               |                |                                                                                      |                                                                                       |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>16450PK</b> | 5mm Stud<br>25/64" (10mm) Hole Size<br>8mm Stem Length<br>30mm Head Diameter<br>Black Nylon<br>Wheel House Liner Retainers<br>G.M. # 94530387 | <b>25 Pcs.</b> |  |  |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|

# Specialty Nuts

## Retainers Grommets

|                |                                                                                                                                                                                                         |                |                                                                                      |                                                                                                   |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <b>12024PK</b> | 10.00 x 11.00mm Hole Size<br>10mm Stem Length<br>13.00 x 17.00mm Head Size<br>Black Nylon<br>Tail Light Grommets<br>Ford # W711079-S300                                                                 | <b>25 Pcs.</b> |    |                |
| <b>9355PK</b>  | 25/64" (10mm) Hole Size<br>9mm Stem Length<br>13mm Head Diameter<br>Black Nylon<br>Grille & Side Marker Light Screw Grommets<br>Ford # N807994-S, N811169S,<br>W704740-S300, W705550S300                | <b>50 Pcs.</b> |    |                |
| <b>10781PK</b> | 25/64" (10mm) Hole Size<br>8mm Stem Length<br>15mm Head Diameter<br>Natural Nylon<br>Headlight Assembly Grommets<br>Hyundai # XG300/350<br>Kia # 92351-37000                                            | <b>25 Pcs.</b> |    |                |
| <b>15816PK</b> | 25/64" (10mm) Hole Size<br>15mm Stem Length<br>18mm Head Diameter<br>White Nylon With Sealer<br>Tail Light Grommets<br>G.M. # 22884291                                                                  | <b>10 Pcs.</b> |    |  <b>NEW!</b>   |
| <b>16374PK</b> | 7/16" (11mm) Hole Size<br>14mm Stem Length<br>16mm Flange Diameter<br>Natural Nylon With Sealer<br>Screw Grommets<br>Honda # 90601-SNV-P01                                                              | <b>25 Pcs.</b> |   |  <b>NEW!</b>  |
| <b>16309PK</b> | 25/64" (10mm) Hole Size<br>17.50mm Overall Length<br>19mm Head Diameter<br>Orange Nylon With Sealer<br>Tail Lamp Grommets<br>G.M. # 84221533                                                            | <b>10 Pcs.</b> |  |  <b>NEW!</b> |
| <b>13368PK</b> | 7/16" (11mm) Hole Size<br>16mm Stem Length<br>16mm Head Diameter<br>White Nylon<br>Fog Light Grommets<br>G.M. # 11570830                                                                                | <b>15 Pcs.</b> |  |              |
| <b>9712PK</b>  | 7/16" (11mm) Hole Size<br>9mm Stem Length<br>13mm Head Diameter<br>White Nylon<br>Park & Turn Signal Grommets<br>Ford # N811169-S, W705550-S300<br>G.M. # 10423331<br>Toyota # 90075-10801, 90189-06111 | <b>50 Pcs.</b> |  |              |
| <b>10526PK</b> | 7/16" (11mm) Hole Size<br>17mm Stem Length<br>15mm Head Diameter<br>Black Nylon With Sealer<br>Tail Light Grommets<br>G.M. # 11561655, 11609862, 11610705                                               | <b>5 Pcs.</b>  |  |              |

# Specialty Nuts

## Retainers Grommets

|                |                                                                                                                                                                                                  |                |                                                                                       |                                                                                       |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>9418PK</b>  | 11.50 x 15.50mm Hole Size<br>26mm Length<br>22mm Width<br>Black Nylon<br>Grille Grommet Retainers<br>Nissan # 62380-U7400                                                                        | <b>10 Pcs.</b> |     |    |
| <b>15017PK</b> | 11.50 x 18.00mm Hole Size<br>10mm Stem Length<br>17.00 x 23.00mm Head Size<br>Black Nylon<br>Headlight Assembly Grommets<br>Nissan # 76848-8J010                                                 | <b>10 Pcs.</b> |    |    |
| <b>11127PK</b> | 12mm Hole Size<br>11mm Stem Length<br>19mm Head Diameter<br>Black Nylon<br>Tail Light Assembly Grommets<br>Chrysler # 68084593-AA                                                                | <b>25 Pcs.</b> |    |    |
| <b>10541PK</b> | 14.00 x 26.00mm Hole Size<br>20.00 x 31.00mm Head Size<br>Receives 10mm Ball Stud<br>Black Nylon<br>Tail Light Grommets<br>Chrysler # 55156879-AB                                                | <b>25 Pcs.</b> |     |    |
| <b>11162PK</b> | 19/32" (15mm) Hole Size<br>21mm Stem Length<br>24mm Head Diameter<br>.90mm Thick Panel<br>Black Nylon With Sealer<br>Tail Light Grommets<br>G.M. # 11561987                                      | <b>15 Pcs.</b> |    |   |
| <b>10554PK</b> | 9.00 x 16.00mm Hole Size<br>17mm Stem Length<br>13.00 x 20.00mm Head Size<br>Black Nylon<br>Rear Light Housing<br>Screw Grommets<br>Chrysler # 5113360-AA<br>G.M. # 15284612, 11609536, 15745991 | <b>15 Pcs.</b> |  |  |
| <b>11126PK</b> | 9.50 x 21.50mm Hole Size<br>18mm Stem Length<br>18.50 x 21.50mm Head Size<br>Black Nylon<br>Headlight & Tail Light Grommets<br>Ford # F50Y-14603-A                                               | <b>25 Pcs.</b> |   |  |

## Retainers Grommets & Pin

|                |                                                                                                                                                                   |                |                                                                                       |                                                                                       |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>12093PK</b> | 9/32" (7mm) Hole Size<br>7mm Stem Length<br>14mm Flange Diameter<br>3mm Pin Diameter<br>Natural Nylon<br>Cowl Grommets<br>Use With #12094<br>Subaru # 91486-KJ000 | <b>25 Pcs.</b> |  |  |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|

# Specialty Nuts

## Retainers Grommets & Pin

|                |                                                                                                                                                          |                |                                                                                    |                                                                                     |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>16387PK</b> | 9/32" (7mm) Hole Size<br>7.30mm Stem Length<br>16mm Head Diameter<br>Gray Nylon<br>Cowl Grille Grommets<br>Use With Disco # 12094<br>Subaru # 91486FL020 | <b>25 Pcs.</b> |  |  |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|

|                |                                                                                                                                                        |                |                                                                                    |                                                                                     |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>12094PK</b> | 3mm Pin Diameter<br>13mm Stem Length<br>16.00 x 18.00mm Head Size<br>Black Nylon<br>Cowl Retainers<br>Use With #12093 or 16387<br>Subaru # 91486-KJ010 | <b>25 Pcs.</b> |  |  |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|

|                |                                                                                                                                                                              |                |                                                                                    |                                                                                     |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>10959PK</b> | 5/16" (8mm) Hole Size<br>11mm Stem Length<br>13.20mm Head Diameter<br>6mm Pin Diameter<br>Natural Nylon<br>Door Trim Panel Grommets<br>Use With #10958<br>V.W. # 3B0-867-334 | <b>50 Pcs.</b> |  |  |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|

|                |                                                                                                                                                          |                |                                                                                    |                                                                                     |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>10958PK</b> | 6mm Pin Diameter<br>12.50mm Top Head Diameter<br>16mm Stem Length<br>Natural Nylon<br>Door Trim Panel Retainers<br>Use With #10959<br>V.W. # 3B0-867-333 | <b>25 Pcs.</b> |  |  |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|

## Retainers Nylon Grommets & Pin

|                |                                                                                                                                                   |                |                                                                                      |                                                                                       |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>12376PK</b> | 23/64" (9mm) Hole Size<br>16mm Stem Length<br>18mm Head Diameter<br>White Nylon<br>Cowl Vent Grommets<br>Use With # 12375<br>Toyota # 90467-10152 | <b>10 Pcs.</b> |  |  |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|

|                |                                                                                                                                                       |                |                                                                                      |                                                                                       |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>12375PK</b> | 23/64" (9mm) Pin Size<br>17mm Stem Length<br>16mm Head Diameter<br>Black Nylon<br>Cowl Vent Pin Retainers<br>Use With # 12376<br>Toyota # 90467-07126 | <b>10 Pcs.</b> |  |  |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|

|                |                                                                                                                                                                       |                |                                                                                      |                                                                                       |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>10467PK</b> | 23/64" (9mm) Hole Size<br>12mm Stem Length<br>19mm Head Diameter<br>3mm Pin Diameter<br>White Nylon<br>Door Panel Grommets<br>Use With #10466<br>Chrysler # 6506655AA | <b>25 Pcs.</b> |  |  |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|

|                |                                                                                                                                                                        |                |                                                                                      |                                                                                       |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>11169PK</b> | 23/64" (9mm) Hole Size<br>12mm Stem Length<br>19mm Head Diameter<br>3mm Pin Diameter<br>Green Nylon<br>Door Panel Grommets<br>Use With #10466<br>Chrysler # 4784018-AA | <b>25 Pcs.</b> |  |  |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|

5

# Specialty Nuts

## Retainers Nylon Grommets & Pin

|                |                                                                                                                                                                                       |                |                                                                                       |                                                                                       |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>10466PK</b> | 3mm Pin Diameter<br>20mm Stem Length<br>13mm Top Head Diameter<br>White Nylon<br>Door Trim Panel Pin Retainers<br>Use With #10467 & #11169                                            | <b>25 Pcs.</b> |     |    |
| <b>18145PK</b> | 3/8" (9.50mm) Hole Size<br>21mm Stem Length<br>Natural Rubber<br>Rear Bumper Cover Grommets<br>Use With # 17832                                                                       | <b>25 Pcs.</b> |    |    |
| <b>18255PK</b> | 3/8" (9.50mm) Hole Size<br>21mm Stem Length<br>Black Rubber<br>Rear Bumper Cover Grommets<br>Use With # 17832<br>Ford # W708045-S300                                                  | <b>25 Pcs.</b> |    |    |
| <b>17832PK</b> | 9/32" (7mm) Hole Size<br>25mm Stem Length<br>21mm Head Diameter<br>Black Nylon<br>Rear Bumper Cover Retainers<br>Use With # 18145 & 18255<br>Ford # W708035-S300                      | <b>25 Pcs.</b> |    |    |
| <b>10618PK</b> | 8.00 x 9.00mm Hole Size<br>13mm Stem Length<br>13mm Head Size<br>4.10mm Pin Diameter<br>White Nylon With Sealer<br>Cowl Vent Screw Grommets<br>Use With #10678<br>Nissan # 80874-0P00 | <b>15 Pcs.</b> |   |   |
| <b>10678PK</b> | 4.10mm Pin Diameter<br>15mm Stem Length<br>10mm Head Diameter<br>Black Nylon<br>Cowl Screen Pin Retainers<br>Use With #10618<br>Nissan # 66820-88E00                                  | <b>25 Pcs.</b> |  |  |
| <b>13255PK</b> | 6mm Stud Size<br>20mm Overall Width<br>16mm Overall Height<br>Black Nylon<br>Skid Shield Grommets<br>Use With # 12589<br>V.W. # 4A0805163                                             | <b>25 Pcs.</b> |  |  |
| <b>12589PK</b> | 6mm Stud Size<br>22mm Stem Length<br>25mm Head Diameter<br>Black Nylon<br>Skid Plate Screws<br>Use With # 13255<br>V.W. # 4A0-805-121A                                                | <b>25 Pcs.</b> |   |  |
| <b>11189PK</b> | 9.50 x 13.50mm Hole Size<br>18mm Stem Length<br>17.50 x 21.50mm Head Size<br>5mm Pin Diameter<br>Black Nylon<br>Fascia Grommets<br>Use With #11190<br>G.M. # 22603044                 | <b>15 Pcs.</b> |   |  |




# Specialty Nuts

## Retainers Nylon Grommets & Pin

**11190PK** 5mm Pin Diameter  
19.70mm Pin Length  
3.30mm Panel Range  
Black Nylon  
Front Bumper Fascia  
Hinged Pin Retainers  
Use With #11189  
G.M. 22615352, 11588782, 22603043

15 Pcs.



**11984PK** 5.80mm Stud Size  
13mm Hex Size  
25mm Washer Diameter  
Black Nylon  
Grille Retainer Nuts  
Use With # 11983  
Camaro 2010 Cadillac SRS & SRX G.M. # 11610748

25 Pcs.



**11983PK** 5.80mm Stem Diameter  
25.50mm Stem Length  
25mm Head Diameter  
Black Nylon  
Slotted Grille Retainers  
Use With # 11984  
Camaro 2010 Cadillac SRS & SRX G.M. # 11610747

25 Pcs.



**16446PK** 28mm Top Diameter  
17.50mm Bottom Diameter  
23mm Overall Height  
Black Nylon  
Body Mount Cushion Sleeves  
G.M. # 15924986

25 Pcs.



**18230PK** 13.50 x 7.60mm Hole Size  
16mm Stem Length  
14.00 x 22.00mm Head Size  
Dark Gray  
Engine Cover Grommets  
Honda # 91548-TZ5-A02

25 Pcs.



**18229PK** 17mm Stem Length  
22mm Overall Length  
13mm Top Head Diameter  
Black Nylon  
Engine Cover Retainers  
Honda # 91547-TZ5-A02

50 Pcs.



## Nuts Metal Miscellaneous

**12273PK** #6 (3.50mm) Screw Size  
10mm Width  
18mm Overall Height  
Zinc Finish  
Bumper & Grille Fasteners  
Chrysler # 4806226-AA, 68004187-AA  
Ford # W710754-S439  
G.M. # 11562364

15 Pcs.



**9199PK** #8 (4.20mm) Screw Size  
Zinc Finish  
Radiator Grille Nuts  
Ford # N802865-S100  
G.M. # 15686142, 11561448

25 Pcs.



# Specialty Nuts

## Nuts Metal Miscellaneous

|                |                                                                                                                                                                              |                |                                                                                       |                                                                                       |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>11258PK</b> | #8 (4.20mm) Screw Size<br>8.65mm Hole Size<br>Zinc Finish<br>Fender Bracket Push In Nuts<br>G.M. # 11518531, 11609952                                                        | <b>15 Pcs.</b> |    |    |
| <b>12983PK</b> | #8 (4.20mm) Screw Size<br>6.00 x 16.00mm Head Size<br>7mm Overall Height<br>Silver Finish<br>Front Bumper Nuts<br>G.M. # 11609952                                            | <b>25 Pcs.</b> |    |    |
| <b>11032PK</b> | #8 (4.20mm) Screw Size<br>.70 - 2.30mm Panel Range<br>8.70mm Hole Size<br>Blue Finish<br>Mid Panel Nuts<br>Chrysler # 6509432AA<br>Ford # W716529-S900<br>G.M. # 1570654     | <b>25 Pcs.</b> |    |    |
| <b>10733PK</b> | #8 (4.20mm) Screw Size<br>.70 - 1.50mm Panel Range<br>8.70mm Hole Size<br>Gray Finish With Sealer<br>Tail Light Quarter Panel Nuts<br>Ford # W714171-S439<br>G.M. # 11569711 | <b>25 Pcs.</b> |    |    |
| <b>18096PK</b> | #8 (4.20mm) Screw Size<br>11.70mm Width<br>16.50mm Length<br>Gray Finish With Sealer<br>Specialty Nuts<br>Ford # W713617-S439                                                | <b>15 Pcs.</b> |   |   |
| <b>11034PK</b> | #8 (4.20mm) Screw Size<br>9.00 x 11.00mm Hole Size<br>Black Finish<br>Dash Panel Nuts<br>Ford # N803685S<br>G.M. # 14083173, 17997722, 17988488                              | <b>25 Pcs.</b> |  |  |
| <b>15983PK</b> | #8 (4.80mm) Screw Size<br>7mm Stem Length<br>14 x 23mm Head Size<br>Zinc Organic<br>Front & Rear Bumper<br>Specialty Nuts With Patisol Pad<br>Ford # W715197-S439            | <b>10 Pcs.</b> |   |  |
| <b>15864PK</b> | #8 (4.20-1.41mm) Screw Size<br>1.40 - 5mm Panel Range<br>10.90 x 13.00mm Hole Size<br>Green Metallic Finish<br>Bracket Retainer Nuts<br>G.M. # 11548673                      | <b>15 Pcs.</b> |  |  |
| <b>15691PK</b> | #8 (4.20-1.41mm) Screw Size<br>Zinc Organic<br>Center Console Door,<br>Front Lights, Grille,<br>Lift Gate Nuts With Silicone Pad<br>G.M. # 11610157                          | <b>10 Pcs.</b> |  |  |

5

# Specialty Nuts

## Nuts Metal Miscellaneous

|   |                |                                                                                                                                                                 |                |                                                                                      |                                                                                       |
|---|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 5 | <b>16065PK</b> | #8 (4.20mm) Screw Size<br>.50 - 1.00mm Panel Range<br>8.55mm Square Hole Size<br>Green Finish W/Silicone Pad<br>Door Panel & Bumper Nuts<br>G.M. # 11546868     | <b>15 Pcs.</b> |    |    |
|   | <b>10143PK</b> | 17/32" (13.50mm) Hole Size<br>11mm Overall Length<br>Zinc Finish<br>Headlamp Assembly Nuts<br>G.M. # 11570015                                                   | <b>15 Pcs.</b> |    |    |
|   | <b>16314PK</b> | 6-1.00 Screw Size<br>9/16" (14mm) Square Hole<br>16.25mm Overall Length<br>Black Finish Bumper,<br>Door Glass & Grille Nuts<br>Chrysler # 6505223AA             | <b>10 Pcs.</b> |    |    |
|   | <b>18265PK</b> | 6-1.00mm Screw Size<br>10mm Stem length<br>15mm Square Hole Size<br>14.50 x 21.00mm Head Size<br>Magni-554 Finish<br>Door & Fender Nuts<br>Chrysler # 6506955AA | <b>10 Pcs.</b> |    |    |
|   | <b>18094PK</b> | 6-1.00 Screw Size<br>.70-3.80mm Panel Range<br>9.25 x 13.75mm Hole Size<br>Zinc Finish<br>Rear Bumper Bracket Nuts<br>G.M. # 11547582                           | <b>25 Pcs.</b> |   |   |
|   | <b>13423PK</b> | 6-1.00 Screw Size<br>11mm Overall Height<br>Zinc Organic<br>Radiator Grille & Front<br>End Panel Nuts<br>G.M. # 11518937                                        | <b>10 Pcs.</b> |  |  |
|   | <b>15902PK</b> | 6-1.00mm Screw Size<br>12mm Overall Height<br>Organic Zinc Finish<br>Front Fender Panel Nuts<br>G.M. # 11610544                                                 | <b>10 Pcs.</b> |  |  |
|   | <b>9597PK</b>  | 6-1.00mm Screw Size<br>Zinc Organic<br>License Plate Nuts<br>G.M. # 15707256                                                                                    | <b>10 Pcs.</b> |  |  |

# Specialty Nuts

## Nuts Metal Miscellaneous

|                |                                                                                                        |                |                                                                                    |                                                                                     |
|----------------|--------------------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>12849PK</b> | 6-1.00mm Thread Size<br>Black Nylon<br>Metal Insert Threaded<br>Hood Adjustment Nuts<br>Ford 1989 - On | <b>10 Pcs.</b> |  |  |
| <b>9709PK</b>  | 5/16"-18 Thread Size<br>Plain Finish<br>Slab Weld Nuts                                                 | <b>25 Pcs.</b> |  |  |

## Nutserts Hex Type Automotive

|                |                                                                                                                                                                                             |                |                                                                                       |                                                                                       |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>12439PK</b> | 5-.80mm Thread Size<br>10mm Hex Size<br>10mm Flange Diameter<br>.70 - 1.50mm Grip Range<br>Silver and Wax Finish<br>Hex Type Steel Nutserts<br>Chrysler # 6503812, 6504601                  | <b>15 Pcs.</b> |    |    |
| <b>12444PK</b> | 6-1.00mm Thread Size<br>8mm Hex Size<br>12mm Flange Diameter<br>.65 - 2mm Grip Range<br>Zinc Finish W/Sealer<br>Hex Type Steel Nutserts<br>Ford # N803763-S100<br>G.M. # 15685099, 11518684 | <b>15 Pcs.</b> |    |    |
| <b>12443PK</b> | 6-1.00mm Thread Size<br>9.50mm Hex Size<br>13mm Flange Diameter<br>.50 - 4.20mm Grip Range<br>Yellow Zinc W/Sealer<br>Hex Type Steel Nutserts<br>Ford # W706172-S309, W708384-S309          | <b>15 Pcs.</b> |  |  |
| <b>12440PK</b> | 6-1.00mm Thread Size<br>9.50mm Hex Size<br>13mm Flange Diameter<br>.70 - 4mm Grip Range<br>Front Core Support<br>Zinc Hex Type Steel Nutserts<br>G.M. # 11519952                            | <b>15 Pcs.</b> |  |  |
| <b>12445PK</b> | 6-1.00mm Thread Size<br>9.50mm Hex Size<br>17mm Flange Diameter<br>.70 - 3.20mm Grip Range<br>Zinc Finish<br>Hex Type Steel Nutserts<br>Chrysler # 6506104AA                                | <b>10 Pcs.</b> |  |  |
| <b>12446PK</b> | 6-1.00mm Thread Size<br>9.50mm Hex Size<br>17mm Flange Diameter<br>.70 - 3.17mm Grip Range<br>Zinc Finish<br>Hex Type Steel Nutserts<br>Chrysler # 6509106-AA                               | <b>15 Pcs.</b> |  |  |
| <b>12441PK</b> | 8-1.25mm Thread Size<br>12.50mm Hex Size<br>17mm Flange Diameter<br>.70 - 4mm Grip Range<br>Zinc Finish<br>Hex Type Steel Nutserts<br>G.M. # 11519960                                       | <b>15 Pcs.</b> |  |  |

5

# Specialty Nuts

## Nutserts Hex Type Automotive



**11406PK**

8-1.25mm Thread Size  
12.70mm Hex Size  
22mm Flange Diameter  
.70 - 3.80mm Grip Range  
Zinc Finish  
Hex Type Steel Nutserts  
Ford # W708513-S437

**15 Pcs.**





## Nutserts Thin Sheet



| Part #  | Thread Size | Grip Range    | A       | B       | D       | Drill Size | Qty.    |
|---------|-------------|---------------|---------|---------|---------|------------|---------|
| 13130PK | 6-32        | .020 - .080"  | .249"   | .385"   | .295"   | 1/4"       | 50 Pcs. |
| 13131PK | 8-32        | .020 - .080"  | .249"   | .385"   | .295"   | 1/4"       | 50 Pcs. |
| 13132PK | 10-24       | .020 - .130"  | .280"   | .440"   | .320"   | 9/32"      | 50 Pcs. |
| 13133PK | 10-32       | .020 - .130"  | .280"   | .440"   | .320"   | 9/32"      | 50 Pcs. |
| 13134PK | 1/4-20      | .030 - .165"  | .347"   | .580"   | .425"   | 3/8"       | 25 Pcs. |
| 13136PK | 5/16-18     | .030 - .165"  | .499"   | .690"   | .560"   | 1/2"       | 25 Pcs. |
| 13138PK | 3/8-16      | .040 - .200"  | .499"   | .690"   | .560"   | 1/2"       | 15 Pcs. |
| 13140PK | 4-.70mm     | .50 - 2.00mm  | 6.32mm  | 9.78mm  | 7.49mm  | 6.40mm     | 50 Pcs. |
| 13141PK | 5-.80mm     | .50 - 3.30mm  | 7.11mm  | 11.18mm | 8.13mm  | 7.20mm     | 50 Pcs. |
| 13142PK | 6-1.00mm    | .75 - 4.20mm  | 9.50mm  | 14.73mm | 10.80mm | 9.60mm     | 25 Pcs. |
| 13143PK | 8-1.25mm    | 1.02 - 5.10mm | 12.67mm | 17.53mm | 14.22mm | 12.70mm    | 25 Pcs. |
| 13144PK | 10-1.50mm   | 1.02-5.10mm   | 12.67mm | 17.53mm | 14.22mm | 12.70mm    | 15 Pcs. |

## Nutserts Round Type




| Part #  | Thread Size | Grip Range | A       | B       | D       | Drill Size | Qty.    |
|---------|-------------|------------|---------|---------|---------|------------|---------|
| 12694PK | 6-32        | .020-.080" | .265"   | .420"   | .390"   | 17/64"     | 25 Pcs. |
| 12696PK | 8-32        | .020-.080" | .265"   | .420"   | .390"   | 17/64"     | 25 Pcs. |
| 12698PK | 10-24       | .020-.130" | .296"   | .475"   | .415"   | 19/64"     | 25 Pcs. |
| 12699PK | 10-32       | .020-.130" | .296"   | .475"   | .415"   | 19/64"     | 25 Pcs. |
| 12700PK | 1/4-20      | .027-.165" | .390"   | .580"   | .500"   | 25/64"     | 25 Pcs. |
| 12702PK | 5/16-18     | .027-.150" | .530"   | .690"   | .685"   | 17/32"     | 10 Pcs. |
| 12704PK | 3/8-16      | .027-.150" | .530"   | .690"   | .685"   | 17/32"     | 10 Pcs. |
| 12706PK | 1/2-13      | .063-.200" | .685"   | 1.150"  | .865"   | 11/16"     | 5 Pcs.  |
| 13411PK | 3-.50mm     | .50-2.00mm | 4.90mm  | 9.02mm  | 7.85mm  | 5mm        | 25 Pcs. |
| 12674PK | 4-.70mm     | .50-2.00mm | 6.73mm  | 10.67mm | 9.91mm  | 6.75mm     | 25 Pcs. |
| 12676PK | 5-.80mm     | .50-3.30mm | 7.52mm  | 12.07mm | 10.54mm | 7.60mm     | 25 Pcs. |
| 12678PK | 6-1.00mm    | .70-4.20mm | 9.91mm  | 14.73mm | 12.70mm | 10mm       | 25 Pcs. |
| 12680PK | 8-1.25mm    | .70-3.80mm | 13.46mm | 17.53mm | 17.40mm | 13.50mm    | 10 Pcs. |
| 12682PK | 10-1.50mm   | .70-3.80mm | 13.46mm | 17.53mm | 17.40mm | 13.50mm    | 10 Pcs. |



# Specialty Nuts

## Nutserts Hex Type



| Part #  | Thread Size | Grip Range   | A       | B       | D       | Drill Size | Qty.    |
|---------|-------------|--------------|---------|---------|---------|------------|---------|
| 12709PK | 6-32        | .020 - .080" | .249"   | .385"   | .375"   | 1/4"       | 25 Pcs. |
| 12711PK | 8-32        | .020 - .080" | .249"   | .385"   | .375"   | 1/4"       | 25 Pcs. |
| 12713PK | 10-32       | .020 - .130" | .280"   | .435"   | .390"   | 9/32"      | 25 Pcs. |
| 12715PK | 1/4-20      | .027 - .165" | .374"   | .585"   | .510"   | 3/8"       | 15 Pcs. |
| 12717PK | 5/16-18     | .027 - .150" | .499"   | .685"   | .655"   | 1/2"       | 10 Pcs. |
| 12719PK | 3/8-16      | .027 - .150" | .499"   | .685"   | .655"   | 1/2"       | 10 Pcs. |
| 12685PK | 4-.70mm     | .20 - .30mm  | 6.35mm  | 11.05mm | 9.53mm  | 6.35mm     | 15 Pcs. |
| 10210PK | 5-.80mm     | .50 - 3.30mm | 7.10mm  | 11.05mm | 9.91mm  | 7.14mm     | 15 Pcs. |
| 10211PK | 6-1.00mm    | .70 - 4.20mm | 9.50mm  | 14.86mm | 12.96mm | 9.53mm     | 15 Pcs. |
| 12690PK | 8-1.25mm    | .70 - 3.80mm | 12.70mm | 17.40mm | 16.64mm | 12.70mm    | 15 Pcs. |
| 12692PK | 10-1.50mm   | .70 - 3.80mm | 12.70mm | 17.40mm | 16.64mm | 12.70mm    | 10 Pcs. |

## Nuts Acorn With Brass Insert

**13242PK** 4-.70mm Thread Size 12mm Flange Diameter 10mm Hex Size 15 Pcs.

Black Nylon Coated  
Acorn Nuts With Brass Insert  
BMW # 07-13-0-702-715  
Honda # 75307-SN7-000



## Nuts Acorn With Washer

**15862PK** 5mm Stud Size 10mm Hex Size 25 Pcs.

18.50mm Flange Diameter  
10.50mm Overall Height  
Black Nylon Moulding  
Flange Nuts  
Audi # 171-201-969



## Nuts Specialty

**16367PK** 4.8-1.61mm Screw 30mm Flange Diameter 25 Pcs.

10mm Hex Size  
Black Nylon Fender Liner,  
Apron, & Under Cover  
Hex Flange Nuts  
Mercedes # 000-990-31-62



## Nuts Jack

**1282PK** 1/4-20 Thread Size 11/16" Stem Length 25 Pcs.

1/64 - 3/16" Grip Range  
Without Sealer  
Steel Jack Nuts




**9371PK** 1/4-20 Thread Size 5/8" Stem Length 25 Pcs.

3/16" - 3/8" Grip Range  
Raintite Sealer Type  
Steel Jack Nuts  
Chrysler # 6031438  
G.M. # 367292



## Specialty Nuts

### Nuts Jack

|               |                                                                                                                                                      |                |                                                                                    |                                                                                     |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>9541PK</b> | 1/4-20 x 1"<br>5/8" Outside Diameter<br>Chrome Finish<br>Outside Mirror Mounting Bolts<br>Use With # 9371<br>G.M. # 367291, 10001670, 474821         | <b>25 Pcs.</b> |  |  |
| <b>1793PK</b> | 6-1.00mm Thread Size<br>Roof Rack Mounting<br>Raintite Sealer Type<br>Steel Jack Nuts<br>G.M. # 14007940                                             | <b>10 Pcs.</b> |  |  |
| <b>1589PK</b> | 6-1.00 x 26.00mm<br>Chrome Finish<br>Outside Mirror Mounting Bolts<br>Use With # 1793<br>Ford # N801851-S, N800928-S45,<br>N806345-S47, N806345-S433 | <b>25 Pcs.</b> |  |  |
| <b>9561PK</b> | 1/4-20 x 1" Screw Size<br>Mirror Mounting<br>Screw & Jack Nut Assembly<br>G.M. # 367292                                                              | <b>10 Sets</b> |  |  |

### Nuts Brass Insert Rubber Well

|                |                                                                                                                                                                                                      |                |                                                                                      |                                                                                       |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>10035PK</b> | 8-32 Screw Size<br>5/16" Hole Size<br>7/16" Length<br>.015 - .178" Grip Range<br>Black Rubber With Brass Insert Well Nuts<br>G.M. # 14048060                                                         | <b>25 Pcs.</b> |    |    |
| <b>15953PK</b> | 10-24 Screw Size<br>3/8" Hole Size<br>37/64" Length<br>.030 - .227" Grip Range<br>Black Rubber With Brass Insert Well Nuts<br>G.M. # 3876130                                                         | <b>25 Pcs.</b> |  |  |
| <b>9891PK</b>  | 10-32 Screw Size<br>3/8" Hole Size<br>33/64" Length<br>.015 - .192" Grip Range<br>Black Rubber With Brass Insert Well Nuts                                                                           | <b>25 Pcs.</b> |  |  |
| <b>11284PK</b> | 10-32 Screw Size<br>3/8" Hole Size<br>5/8" Length<br>.035 - .232" Grip Range<br>Black Rubber With Brass Insert Well Nuts<br>G.M. # 12338025                                                          | <b>10 Pcs.</b> |  |  |
| <b>1095PK</b>  | 1/4-20 Screw Size<br>1/2" Hole Size<br>19/32" Length<br>.015 - .111" Grip Range<br>Black Rubber With Brass Insert Well Nuts<br>AMC # 4003120<br>Chrysler # 2094869, 6033705<br>G.M. # 528846, 342271 | <b>25 Pcs.</b> |  |  |
| <b>11386PK</b> | 1/4-20 Screw Size<br>1/2" Hole Size<br>41/64" Length<br>3/4" Head size<br>Black Rubber With Brass Insert Well Nuts                                                                                   | <b>10 Pcs.</b> |  |  |

## Specialty Nuts

### Nuts Brass Insert Rubber Well

**12836PK** 5/16-18 Screw Size  
5/8" Hole Size  
19/32" Length  
27/32" Flange  
.015 - .156" Grip Range  
Black Rubber With Brass Insert Well Nuts

15 Pcs.



**1284PK** 6-1.00mm Screw Size  
12.70mm Hole Size  
14.50mm Length  
.015 - .111" Grip Range  
Black Rubber With Brass Insert Well Nuts  
AMC # 8934201293  
G.M. # 15505451

10 Pcs.



**11899PK** 6-1.00mm Screw Size  
12.70mm Hole Size  
15mm Length  
20mm Flange Diameter  
.015 - .094" Grip Range  
Roof Rack Mounting  
Black Rubber Well Nuts  
G.M. # 20130258, 14002811

10 Pcs.



5

### Kits Brass Insert Rubber Well Nut

**13363** 6-1.00mm Screw Size  
1/2" Hole Size  
Screw, Washer & Nut  
Top Carrier  
Black Rubber With Brass Insert  
Well Nuts Anchor Kit

10 Sets



### Nuts Square Type Cage Standard



| Part #  | Screw Size | Panel Range   | Mounting Hole | Finish | Qty.    |
|---------|------------|---------------|---------------|--------|---------|
| 11005PK | 10-24      | .025" - .063" | 3/8"          | Zinc   | 50 Pcs. |
| 11006PK | 10-24      | .064" - .105" | 3/8"          | Zinc   | 50 Pcs. |
| 11007PK | 10-32      | .025" - .063" | 3/8"          | Zinc   | 50 Pcs. |
| 11008PK | 10-32      | .064" - .105" | 3/8"          | Zinc   | 50 Pcs. |
| 11009PK | 1/4-20     | .025" - .063" | 3/8"          | Zinc   | 50 Pcs. |
| 11010PK | 1/4-20     | .064" - .105" | 3/8"          | Zinc   | 50 Pcs. |
| 11011PK | 5/16-18    | .093" - .126" | 1/2"          | Zinc   | 50 Pcs. |
| 11012PK | 3/8-16     | .093" - .126" | 1/2"          | Zinc   | 50 Pcs. |

### Nuts Square Type Cage Metric



| Part #  | Screw Size | Panel Range     | Mounting Hole | Finish | Qty.    |
|---------|------------|-----------------|---------------|--------|---------|
| 11013PK | 5-.80mm    | 1.626" - 2.667" | 3/8"          | Zinc   | 50 Pcs. |
| 11014PK | 6-1.00mm   | .635" - 1.60"   | 3/8"          | Zinc   | 50 Pcs. |
| 11015PK | 6-1.00mm   | 1.626" - 2.667" | 3/8"          | Zinc   | 50 Pcs. |

## Specialty Nuts

### Nuts Air Cleaner Wing

**10243PK**

1/4 (6.30mm) Screw Size  
Natural Nylon  
Air Cleaner Hold Down  
Wing Nuts  
Ford # 386285 AMC # 3230375

**10 Pcs.**



**10245PK**

1/4-20 Screw Size  
Black Nylon  
Air Cleaner Hold Down  
Wing Nuts  
Chrysler # 5240734

**10 Pcs.**

